



Podskupina	Rozsah	Počet neshodných	Podíl neshodných
1	254	3	0.012
2	562	8	0.014
3	347	5	0.014
4	812	12	0.015
5	563	6	0.011
6	207	4	0.019
7	627	10	0.016
8	524	15	0.029
9	471	8	0.017
10	689	10	0.015
11	925	14	0.015
12	856	16	0.019
13	740	10	0.014
14	250	1	0.004
15	358	7	0.020
16	596	9	0.015
17	841	12	0.014
18	725	10	0.014
19	641	8	0.012
20	239	3	0.013
21	785	11	0.014
22	625	9	0.014
23	574	8	0.014
24	697	8	0.011
25	308	4	0.013
<b>Celkem</b>	<b>14216</b>	<b>211</b>	
<b>Průměrný podíl neshodných</b>			<b>0.015</b>
<b>Průměrný rozsah</b>		<b>568.64</b>	
<b>Rozpětí rozsahů</b>		<b>718</b>	
<b>Parametry diagramu</b>			
Centr.přímka	UCL	LCL	
0.015	Proměnná	Proměnná	




Podskupina: Podíl neshc Centrální p Regulační r Regulační meze

Podskupina	Podíl neshc	Centrální p	Regulační r	Regulační meze
1	0.012	0.015	0.022	0.007
2	0.014	0.015	0.020	0.010
3	0.014	0.015	0.021	0.008
4	0.015	0.015	0.019	0.011
5	0.011	0.015	0.020	0.010
6	0.019	0.015	0.023	0.006
7	0.016	0.015	0.020	0.010
8	0.029	0.015	0.020	0.010
9	0.017	0.015	0.020	0.009
10	0.015	0.015	0.019	0.010
11	0.015	0.015	0.019	0.011
12	0.019	0.015	0.019	0.011
13	0.014	0.015	0.019	0.010
14	0.004	0.015	0.022	0.007
15	0.020	0.015	0.021	0.008
16	0.015	0.015	0.020	0.010
17	0.014	0.015	0.019	0.011
18	0.014	0.015	0.019	0.010
19	0.012	0.015	0.020	0.010
20	0.013	0.015	0.023	0.007
21	0.014	0.015	0.019	0.011
22	0.014	0.015	0.020	0.010
23	0.014	0.015	0.020	0.010
24	0.011	0.015	0.019	0.010
25	0.013	0.015	0.022	0.008







7 18 19 20 21 22 23 24 25

lační meze