

## Obsah

<b>1 Přihlášení uživatele</b> .....	2
<b>1.1 Přihlášení uživatele HTML</b> .....	2
<b>1.2 Přihlášení uživatele PHP</b> .....	3
<b>2 Výběr sektoru a kontrola</b> .....	4
<b>2.1 HTML</b> .....	4
<b>2.2 JavaScript</b> .....	6
<b>3 Zadání čísla košíku a kontrola</b> .....	8
<b>3.1 HTML</b> .....	8
<b>3.2 JavaScript</b> .....	10
<b>3.3 PHP</b> .....	10
<b>4 Vychystávání objednávek</b> .....	11
<b>4.1 HTML + PHP</b> .....	11
<b>4.2 JavaScript</b> .....	14
<b>5 Poslední stránka systému</b> .....	14
<b>5.1 HTML</b> .....	14
<b>5.2 JavaScript</b> .....	16
<b>6 CSS</b> .....	16

# Přílohy

## 1 Přihlášení uživatele

### 1.1 Přihlášení uživatele HTML

```
<!DOCTYPE html>
<html lang="cs">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/normalize.css">
  <link rel="stylesheet" href="/css/style.css">
  <script src="js/script1.js"></script>

  <title>Informační systém</title>
</head>
<body>
<div class="system">
  <header>
    <div class="header-container"></div>
  </header>
  <div class="start">
    <form id="form" method="POST" action="inc/vstup.php">
      <h1>PŘIHLÁŠENÍ</h1>
      <label class="form-container">
        <input type="text" name="login" placeholder="Naskenujte číslo pro přihlášení">
      </label>
      <button type="submit" name="submit">Přihlásit se</button>
    </form>
  </div>
</div>
</body>
</html>
```

## 1.2 Přihlášení uživatele PHP

```
<?php
session_start();
$connect=mysqli_connect("127.0.0.1", "root", "", "storehouse","3306");

if (!$connect){
    die('Error');
}

if (isset($_POST['submit'])) {
    $login = $_POST['login'];

    $sql = "SELECT * FROM worker WHERE login = '$login'";
    $result = mysqli_query($connect, $sql);

    if (mysqli_num_rows($result) > 0) {
        $user=mysqli_fetch_assoc($result);
        $_SESSION['user']=[
            "login"=>$user['login']
        ];
        header('Location: ../sector.php');
        exit;
    } else {
        $error_message = "Invalid login";
        header('Location: ../index.html');
    }
    unset($error_message);
}
mysqli_close($connect);
```

## 2 Výběr sektoru a kontrola

### 2.1 HTML

```
<?php
$connect = mysqli_connect("127.0.0.1", "root", "", "storehouse", "3306");
if (!$connect) {
    die('Error');
}
session_start();
?>

<!DOCTYPE html>
<html lang="cs">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="/css/normalize.css">
    <link rel="stylesheet" href="/css/style.css">
    <script src="js/script1.js"></script>

    <title>Informační systém</title>
</head>
<body>
    <div class="system_body">
        <fieldset class="form_fieldset" id="sector-fieldset" style="display:block;">
            <header>
                <form class="header-container" method="POST" action="inc/vstup.php">
                    <div class="system_head_user" id="user-icon-container">
                        
                        <p><?= $_SESSION['user']['login'] ?></p>
                    </div>
                </form>
            </header>
            <div class="container">
```

```

<h1>VYBERTE SI SEKTOR</h1>
  <div class="buttons">
    <button id="sector1-btn">1</button>
    <button id="sector2-btn">2</button>
    <button id="sector3-btn">3</button>
  </div>
</div>
</fieldset>
<fieldset class="form_fieldset" id="sector1-fieldset" style="display:block;">
  <header>
    <div class="header-container">
      <div class="system_head_user">
        
        <p><?= $_SESSION['user']['login'] ?></p>
      </div>
    </div>
  </header>
  <div class="container">
    <h1 class="title">Sektor 1</h1>
    <div class="buttons">
      <button class="continue">Spustit</button>
      <button class="log-out">Zpět</button>
    </div>
  </div>
</fieldset>
<fieldset class="form_fieldset" id="sector2-fieldset" style="display:block;">
  <header>
    <div class="header-container">
      <div class="system_head_user">
        
        <p><?= $_SESSION['user']['login'] ?></p>
      </div>
    </div>
  </header>
  <div class="container">
    <h1 class="title">Sektor 2</h1>
    <div class="buttons">
      <button class="continue">Spustit</button>
      <button class="log-out">Zpět</button>
    </div>
  </div>
</fieldset>

```

```

</header>
<div class="container">
  <h1 class="title">Sektor 2</h1>
  <div class="buttons">
    <button class="continue">Spustit</button>
    <button class="log-out">Zpět</button>
  </div>
</div>
</fieldset>
<fieldset class="form_fieldset" id="sector3-fieldset" style="display:block;">
  <header>
    <div class="header-container">
      <div class="system_head_user">
        
        <p><?= $_SESSION['user']['login'] ?></p>
      </div>
    </div>
  </header>
  <div class="container">
    <h1 class="title">Sektor 3</h1>
    <div class="buttons">
      <button class="continue">Spustit</button>
      <button class="log-out">Zpět</button>
    </div>
  </div>
</fieldset>
</div>
</body>
</html>

```

## 2.2 JavaScript

```

document.addEventListener('DOMContentLoaded', function () {
  "use strict";

```

```

const sector1Btn = document.getElementById("sector1-btn");
const sector2Btn = document.getElementById("sector2-btn");
const sector3Btn = document.getElementById("sector3-btn");
const sectorFieldset = document.querySelectorAll('.form_fieldset')[0]; //veber
const sector1Fieldset = document.querySelectorAll('.form_fieldset')[1]; //sektor 1
const sector2Fieldset = document.querySelectorAll('.form_fieldset')[2]; //sektor 2
const sector3Fieldset = document.querySelectorAll('.form_fieldset')[3]; //sektor 3

sectorFieldset.style.display = "block";
sector1Fieldset.style.display = "none";
sector2Fieldset.style.display = "none";
sector3Fieldset.style.display = "none";

sector1Btn.addEventListener('click', function () {
    sectorFieldset.style.display = 'none'
    sector2Fieldset.style.display = 'none';
    sector3Fieldset.style.display = 'none';
    sector1Fieldset.style.display = 'block';
});

sector2Btn.addEventListener('click', function () {
    sectorFieldset.style.display = 'none'
    sector1Fieldset.style.display = 'none';
    sector3Fieldset.style.display = 'none';
    sector2Fieldset.style.display = 'block';
});

sector3Btn.addEventListener('click', function () {
    sectorFieldset.style.display = 'none'

```

```

sector1Fieldset.style.display = 'none';
sector2Fieldset.style.display = 'none';
sector3Fieldset.style.display = 'block';
});

const backSectorsBtn = document.querySelectorAll('.log-out');

backSectorsBtn.forEach(btn => {
  btn.addEventListener("click", (event) => {
    event.preventDefault();
    sectorFieldset.style.display = "block";
    sector1Fieldset.style.display = "none";
    sector2Fieldset.style.display = "none";
    sector3Fieldset.style.display = "none";
  });
});

const continueSectorsBtn = document.querySelectorAll(".continue");

continueSectorsBtn.forEach(btn => {
  btn.addEventListener("click", () => {
    window.location.href = "kosik.php";
  });
});

});

```

### 3 Zadání čísla košíku a kontrola

#### 3.1 HTML

```

<?php
$connect = mysqli_connect("127.0.0.1", "root", "", "storehouse", "3306");

```



```

if (!$connect) {
    die('Error');
}
session_start();
?>

<!DOCTYPE html>
<html lang="cs">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="/css/normalize.css">
    <link rel="stylesheet" href="/css/style.css">
    <script src="js/scriptkosik.js"></script>

    <title>Informační systém</title>
</head>
<body>
    <div class="system_body">
        <header>
            <div class="header-container">
                <div class="system_head_user">
                    
                    <p><?= $_SESSION['user']['login'] ?></p>
                </div>
                <div class="system_head_user">
                    
                    <p>pauza</p>
                </div>
            </div>
        </header>
        <h1>Naskenujte číslo košíku</h1>
        <form class="form-container" method="POST" action="inc/datakosik.php">

```

```

        <label><input type="text" id="cart-number" name="cart"
placeholder="Zadejte číslo košíku"></label>
        <div class="buttons">
            <button class="log-out" type="button" id="manual-input">Zadat
ručně</button>
            <button class="continue" name="next">Další</button>
        </div>
    </form>
</div>
</body>
</html>

```

### 3.2 JavaScript

```

document.addEventListener('DOMContentLoaded', function () {
    "use strict";

    const manualInputButton = document.getElementById("manual-input");
    const inputField = document.getElementById("cart-number");

    manualInputButton.addEventListener("click", () => {
        inputField.focus();
    });
});

```

### 3.3 PHP

```

<?php
session_start();
$conn=mysql_connect("127.0.0.1", "root", "", "storehouse", "3306");

if (!$conn){
    die('Error');
}

```

```

if (isset($_POST['next'])) {
    $cartBarcode = $_POST['cart'];
    $sql = "SELECT * FROM cart WHERE cr_barcode = '$cartBarcode'";
    $result = mysqli_query($connect, $sql);
    if (mysqli_num_rows($result) > 0) {
        header("Location: ../task.php");
        exit();
    }
    else {
        $error_message = "Invalid login";
        header('Location: ../kosik.php');
    }
    mysqli_close($connect);
}

```

## 4 Vychystávání objednávek

### 4.1 HTML + PHP

```

<?php
$connect = mysqli_connect("127.0.0.1", "root", "", "storehouse", "3306");
if (!$connect) {
    die('Error');
}
session_start();

$result_nazev=mysqli_query($connect, "SELECT * FROM goods WHERE idgoods IN
(SELECT ts_idgoods FROM task WHERE ts_idgoods = idgoods)");
$result_adresa=mysqli_query($connect, "SELECT section, street, shelf, box FROM
storehouse WHERE idstorehouse IN (SELECT gd_idstorehouse FROM goods WHERE
gd_idstorehouse=idstorehouse)");
$result_quantity=mysqli_query($connect, "SELECT quantity FROM task ");

```

```

?>

<!DOCTYPE html>
<html lang="cs">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/normalize.css">
  <link rel="stylesheet" href="/css/style.css">
  <script src="js/script_task.js"></script>

  <title>Informační systém</title>
</head>
<body>
<div class="system_body">
  <fieldset class="form_fieldset" style="display:block;">
    <header>
      <div class="header-container">
        <div class="system_head_user">
          
          <p><?= $_SESSION['user']['login'] ?></p>
        </div>
        <div class="system_head_user">
          
          <p>pauza</p>
        </div>
      </div>
    </header>
    <form class="container" method="POST">
      <?php
        $adresa = mysqli_fetch_assoc($result_adresa);
        $gd_name = mysqli_fetch_assoc($result_nazev);

```

```

$quantity = mysqli_fetch_assoc($result_quantity);

while ($adresa && $gd_name && $quantity) {

    ?>

    <div class="photo container order"></div>

    <div class="address container">Adresa: <?= $show_adress = $adresa['section'] . " "
. $adresa['street'] . " " . $adresa['shelf'] . " " . $adresa['box']; ?> </div>

    <div class="product-name container">Název zboží: <?= $gd_name['gd_name']; ?>
</div>

    <div class="product-name container"> Výrobce: <?= $gd_name['producer']; ?>
</div>

    <div class="product-name container"> Množství: <?= $quantity['quantity']; ?>
kus.</div>

    <div class="product-name container"><!--<?= $gd_name['gd_barcode']; ?>-->
</div>

    <form method="post">
        <label class="form-container">
            <input type="text" class="product-number" name="barcode"
placeholder="Naskenujte čárový kód">
        </label>
        <div class="buttons">
            <button>Není k dispozici</button>
            <button class="manual-input1">Ručně zadat kod</button>
            <button type="submit" name="verify">Ověřit</button>
        </div>
    </form>

    <?php
$adresa = mysqli_fetch_assoc($result_adresa);
$gd_name = mysqli_fetch_assoc($result_nazev);

```

```

        $quantity = mysqli_fetch_assoc($result_quantity);
    }
    ?>
    <button type="submit" name="continue" class="continue">Dale</button>
</form>
</fieldset>
</div>
</body>
</html>

```

## 4.2 JavaScript

```

document.addEventListener('DOMContentLoaded', function () {
    "use strict";

    const continueBtn = document.querySelector(".continue");
    continueBtn.addEventListener("click", () => {
        window.location.href = "finish.php";
    });
});

```

# 5 Poslední stránka systému

## 5.1 HTML

```

<?php
$connect = mysqli_connect("127.0.0.1", "root", "", "storehouse", "3306");
if (!$connect) {
    die('Error');
}
session_start();
?>

<!DOCTYPE html>
<html lang="cs">

```

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/normalize.css">
  <link rel="stylesheet" href="/css/style.css">
  <script src="js/scriptfinish.js"></script>

  <title>Informační systém</title>
</head>
<body>
  <div class="system_body">
    <fieldset class="form_fieldset" style="display:block;">
      <header>
        <div class="header-container">
          <div class="system_head_user">
            
            <p><?= $_SESSION['user']['login'] ?></p>
          </div>
        </div>
      </header>
      <div id="container">
        <h1>Vychystávání je ukončeno</h1>
        <div class="buttons">
          <button class="continue" id="next_finish">Další objednávka</button>
          <button class="log-out" id="log-out_finish">Odhlásit se</button>
        </div>
      </div>
    </fieldset>
  </div>
</body>
</html>

```

## 5.2 JavaScript

```
document.addEventListener('DOMContentLoaded', function () {  
    "use strict";  
  
    const nextButton = document.getElementById("next_finish");  
    const logoutButton = document.getElementById("log-out_finish");  
  
    // Add click event listeners to the buttons  
    nextButton.addEventListener("click", function() {  
        // Redirect to another PHP file  
        window.location.href = "sector.php";  
    });  
  
    logoutButton.addEventListener("click", function() {  
        window.location.href = "index.html";  
    });  
});
```

## 6 CSS

```
::before,  
::after {  
    outline: none;  
    box-sizing: border-box;  
    padding: 0;  
    margin: 0;  
    border: 0;  
}  
body, html{
```



```
height: 100%;  
  
}  
  
body{  
  font-family: "Circe Bold", serif;  
  font-weight: normal;  
  font-size: 20px;  
  background-color: gray;  
}  
  
img{  
  display: block;  
  max-width: 100%;  
}  
  
button{  
  cursor: pointer;  
  width: 200px;  
  height: 150px;  
  margin: 10px;  
  font-size: 40px;  
  color: black;  
  background-color: steelblue;  
  font-weight: bold;  
}  
  
header {  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  background-color: steelblue;  
  color: white;  
  padding: 2px;  
  position: fixed;  
  top: 0;  
  left: 0;
```

```

right: 0;
z-index: 100;
width: 100%;
}
.header-container {
display: flex;
justify-content: space-between;
width: 70%;
margin: 0 auto;
}
.system_head_user img {
width: 35%;
padding-top: 20px;
}
.system_head_user{
width: 15%;
text-align: center;
display: flex;
align-items: center;
flex-direction: column;
}
p{
height: 10px;
padding-bottom: 10px;
margin-top: 2px;
}
fieldset {
background-color: gray;
padding: 80px;
}
.system_body{

```

```
height: 100%;  
}  
h1 {  
  text-align: center;  
  padding: 40px;  
}  
form {  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  margin-top: 30px;  
}  
input[type="text"] {  
  height: 50px;  
  font-size: 20px;  
  text-align: center;  
  padding-left: 10px;  
  border-radius: 50px;  
  border: 50px black;  
  width: 60%;  
}  
input[type="submit"] {  
  width: 30%;  
  height: 20%;  
  font-size: 25px;  
  padding: 10px 20px;  
  background-color: steelblue;  
  color: white;  
  border-radius: 5px;  
  cursor: pointer;  
}  
.container {
```

```
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
}
.buttons {
display: flex;
flex-wrap: wrap;
justify-content: center;
}
.continue,
.log-out {
font-size: 24px;
padding: 10px 20px;
margin: 0 10px;
border-radius: 5px;
cursor: pointer;
}
.continue {
background-color: steelblue;
color: white;
}
.log-out {
background-color: steelblue;
color: white;
}
.form-container {
display: flex;
flex-direction: column;
align-items: center;
margin-top: 40px;
width: 100%;
```

```
}  
#cart-number {  
  width: 300px;  
  height: 50px;  
  font-size: 20px;  
  padding: 10px;  
  border-radius: 5px;  
  border: 1px solid gray;  
  text-align: center;  
  margin-bottom: 20px;  
}  
.counter {  
  padding-top: 50px;  
  font-size: 20px;  
  font-weight: bold;  
  color: black;  
}  
.address {  
  margin-top: 10px;  
  font-size: 40px;  
  font-weight: bold;  
}  
.product-name {  
  margin-top: 10px;  
  font-size: 30px;  
  font-weight: bold;  
}  
.photo {  
  width: 20%;  
  padding-top: 10px;  
}
```

```
.order{  
  display: block;  
  margin: 0 auto;  
  justify-content: center;  
}
```