

Zápoj	příprava půdy	datum	Klíčení- nové	Mortalita- nové	Suma vyklíčených semen období	Suma srážek	Prům teplota
porostu							
Holina	VBP	11.6.	6	0	6	43	13.5
Holina	VBP	11.6.	24	0	24	43	13.5
Holina	VBP	11.6.	16	0	16	43	13.5
Holina	VBP	11.6.	11	0	11	43	13.5
Holina	VBP	11.6.	10	0	10	43	13.5
Holina	VBP	25.6.	13	0	19	24	15.1
Holina	VBP	25.6.	21	0	45	24	15.1
Holina	VBP	25.6.	6	0	22	24	15.1
Holina	VBP	25.6.	6	0	17	24	15.1
Holina	VBP	25.6.	11	0	21	24	15.1
Holina	VBP	9.7.	6	0	20	21	15.9
Holina	VBP	9.7.	24	0	45	21	15.9
Holina	VBP	9.7.	15	1	21	21	15.9
Holina	VBP	9.7.	11	0	17	21	15.9
Holina	VBP	9.7.	7	3	18	21	15.9
Holina	VBP	23.7.	15	0	21	113	16.5
Holina	VBP	23.7.	15	6	39	113	16.5
Holina	VBP	23.7.	12	0	27	113	16.5
Holina	VBP	23.7.	13	0	24	113	16.5
Holina	VBP	23.7.	23	0	30	113	16.5
Holina	VBP	7.8.	6	0	21	24	16.5
Holina	VBP	7.8.	22	2	37	24	16.5
Holina	VBP	7.8.	15	0	27	24	16.5
Holina	VBP	7.8.	16	0	29	24	16.5
Holina	VBP	7.8.	7	0	30	24	16.5
Holina	VBP	21.8.	15	0	21	9	16.5
Holina	VBP	21.8.	15	0	37	9	16.5
Holina	VBP	21.8.	12	0	27	9	16.5
Holina	VBP	21.8.	13	0	29	9	16.5
Holina	VBP	21.8.	23	0	30	9	16.5
Holina	VBP	4.9.	4	2	19	3	14.5
Holina	VBP	4.9.	22	0	37	3	14.5
Holina	VBP	4.9.	15	0	27	3	14.5
Holina	VBP	4.9.	14	2	27	3	14.5
Holina	VBP	4.9.	7	0	30	3	14.5
Holina	VBP	18.9.	15	0	19	35	12.5
Holina	VBP	18.9.	15	0	37	35	12.5
Holina	VBP	18.9.	12	0	27	35	12.5
Holina	VBP	18.9.	13	0	27	35	12.5
Holina	VBP	18.9.	24	0	31	35	12.5
Holina	VBP	2.10.	4	0	19	0	12.5
Holina	VBP	2.10.	22	0	37	0	12.5
Holina	VBP	2.10.	10	5	22	0	12.5
Holina	VBP	2.10.	14	0	27	0	12.5
Holina	VBP	2.10.	7	0	31	0	12.5
Holina	VO1	11.6.	50	0	50	43	13.5
Holina	VO1	11.6.	9	0	9	43	13.5

Holina	VO1	11.6.	36	0	36	43	13.5
Holina	VO1	11.6.	88	0	88	43	13.5
Holina	VO1	11.6.	24	0	24	43	13.5
Holina	VO1	25.6.	0	1	49	24	15.1
Holina	VO1	25.6.	4	0	13	24	15.1
Holina	VO1	25.6.	0	9	27	24	15.1
Holina	VO1	25.6.	8	0	96	24	15.1
Holina	VO1	25.6.	0	1	23	24	15.1
Holina	VO1	9.7.	0	3	46	21	15.9
Holina	VO1	9.7.	0	2	11	21	15.9
Holina	VO1	9.7.	0	3	24	21	15.9
Holina	VO1	9.7.	0	1	98	21	15.9
Holina	VO1	9.7.	0	0	23	21	15.9
Holina	VO1	23.7.	0	1	45	113	16.5
Holina	VO1	23.7.	0	1	10	113	16.5
Holina	VO1	23.7.	0	0	24	113	16.5
Holina	VO1	23.7.	0	0	98	113	16.5
Holina	VO1	23.7.	0	2	21	113	16.5
Holina	VO1	7.8.	0	0	45	24	16.5
Holina	VO1	7.8.	0	1	9	24	16.5
Holina	VO1	7.8.	2	0	26	24	16.5
Holina	VO1	7.8.	0	0	98	24	16.5
Holina	VO1	7.8.	0	0	21	24	16.5
Holina	VO1	21.8.	0	0	45	9	16.5
Holina	VO1	21.8.	0	0	9	9	16.5
Holina	VO1	21.8.	0	0	26	9	16.5
Holina	VO1	21.8.	0	0	98	9	16.5
Holina	VO1	21.8.	0	0	21	9	16.5
Holina	VO1	4.9.	0	5	40	3	14.5
Holina	VO1	4.9.	0	3	6	3	14.5
Holina	VO1	4.9.	0	0	26	3	14.5
Holina	VO1	4.9.	0	0	98	3	14.5
Holina	VO1	4.9.	0	0	21	3	14.5
Holina	VO1	18.9.	0	0	40	35	12.5
Holina	VO1	18.9.	0	0	6	35	12.5
Holina	VO1	18.9.	0	4	22	35	12.5
Holina	VO1	18.9.	0	11	87	35	12.5
Holina	VO1	18.9.	0	1	20	35	12.5
Holina	VO1	2.10.	0	4	36	0	12.5
Holina	VO1	2.10.	0	0	6	0	12.5
Holina	VO1	2.10.	0	0	22	0	12.5
Holina	VO1	2.10.	0	0	87	0	12.5
Holina	VO1	2.10.	0	0	20	0	12.5
Holina	VO2	11.6.	18	0	18	43	13.5
Holina	VO2	11.6.	14	0	14	43	13.5
Holina	VO2	11.6.	18	0	18	43	13.5
Holina	VO2	11.6.	11	0	11	43	13.5
Holina	VO2	11.6.	23	0	23	43	13.5
Holina	VO2	25.6.	7	0	25	24	15.1
Holina	VO2	25.6.	0	0	14	24	15.1

Holina	VO2	25.6.	15	0	33	24	15.1
Holina	VO2	25.6.	6	0	17	24	15.1
Holina	VO2	25.6.	15	0	38	24	15.1
Holina	VO2	9.7.	0	4	21	21	15.9
Holina	VO2	9.7.	0	2	12	21	15.9
Holina	VO2	9.7.	0	1	32	21	15.9
Holina	VO2	9.7.	0	4	13	21	15.9
Holina	VO2	9.7.	0	2	36	21	15.9
Holina	VO2	23.7.	0	0	21	113	16.5
Holina	VO2	23.7.	1	0	13	113	16.5
Holina	VO2	23.7.	0	2	30	113	16.5
Holina	VO2	23.7.	0	1	12	113	16.5
Holina	VO2	23.7.	0	1	35	113	16.5
Holina	VO2	7.8.	2	0	23	24	16.5
Holina	VO2	7.8.	0	1	12	24	16.5
Holina	VO2	7.8.	0	2	28	24	16.5
Holina	VO2	7.8.	0	0	12	24	16.5
Holina	VO2	7.8.	0	0	35	24	16.5
Holina	VO2	21.8.	0	0	23	9	16.5
Holina	VO2	21.8.	0	0	12	9	16.5
Holina	VO2	21.8.	0	0	28	9	16.5
Holina	VO2	21.8.	0	0	12	9	16.5
Holina	VO2	21.8.	0	0	35	9	16.5
Holina	VO2	4.9.	0	6	17	3	14.5
Holina	VO2	4.9.	0	6	6	3	14.5
Holina	VO2	4.9.	0	0	28	3	14.5
Holina	VO2	4.9.	0	0	12	3	14.5
Holina	VO2	4.9.	0	0	35	3	14.5
Holina	VO2	18.9.	0	0	17	35	12.5
Holina	VO2	18.9.	0	0	6	35	12.5
Holina	VO2	18.9.	0	4	24	35	12.5
Holina	VO2	18.9.	0	3	9	35	12.5
Holina	VO2	18.9.	0	6	29	35	12.5
Holina	VO2	2.10.	0	0	17	0	12.5
Holina	VO2	2.10.	0	3	3	0	12.5
Holina	VO2	2.10.	0	0	24	0	12.5
Holina	VO2	2.10.	0	0	9	0	12.5
Holina	VO2	2.10.	0	0	29	0	12.5
Holina	VF	11.6.	15	0	32	43	13.5
Holina	VF	11.6.	22	0	25	43	13.5
Holina	VF	11.6.	15	0	15	43	13.5
Holina	VF	11.6.	5	0	14	43	13.5
Holina	VF	11.6.	0	0	19	43	13.5
Holina	VF	25.6.	14	0	46	24	15.1
Holina	VF	25.6.	20	0	45	24	15.1
Holina	VF	25.6.	5	0	20	24	15.1
Holina	VF	25.6.	0	1	13	24	15.1
Holina	VF	25.6.	0	0	42	24	15.1
Holina	VF	9.7.	0	8	38	21	15.9
Holina	VF	9.7.	0	24	21	21	15.9

Holina	VF	9.7.	0	11	9	21	15.9
Holina	VF	9.7.	0	7	6	21	15.9
Holina	VF	9.7.	0	7	35	21	15.9
Holina	VF	23.7.	0	7	31	113	16.5
Holina	VF	23.7.	2	0	23	113	16.5
Holina	VF	23.7.	2	0	11	113	16.5
Holina	VF	23.7.	0	0	6	113	16.5
Holina	VF	23.7.	0	4	31	113	16.5
Holina	VF	7.8.	0	3	28	24	16.5
Holina	VF	7.8.	0	0	23	24	16.5
Holina	VF	7.8.	0	1	10	24	16.5
Holina	VF	7.8.	0	0	6	24	16.5
Holina	VF	7.8.	0	2	29	24	16.5
Holina	VF	21.8.	0	0	28	9	16.5
Holina	VF	21.8.	0	0	23	9	16.5
Holina	VF	21.8.	0	0	10	9	16.5
Holina	VF	21.8.	0	0	6	9	16.5
Holina	VF	21.8.	0	0	29	9	16.5
Holina	VF	4.9.	0	0	28	3	14.5
Holina	VF	4.9.	0	0	23	3	14.5
Holina	VF	4.9.	0	0	10	3	14.5
Holina	VF	4.9.	0	2	4	3	14.5
Holina	VF	4.9.	0	2	27	3	14.5
Holina	VF	18.9.	0	1	27	35	12.5
Holina	VF	18.9.	0	0	23	35	12.5
Holina	VF	18.9.	0	0	10	35	12.5
Holina	VF	18.9.	0	0	4	35	12.5
Holina	VF	18.9.	0	0	27	35	12.5
Holina	VF	2.10.	0	0	27	0	12.5
Holina	VF	2.10.	0	3	20	0	12.5
Holina	VF	2.10.	0	3	7	0	12.5
Holina	VF	2.10.	0	0	4	0	12.5
Holina	VF	2.10.	0	0	27	0	12.5
Holina	KBP	11.6.	3	0	3	43	13.5
Holina	KBP	25.6.	0	0	3	24	15.1
Holina	KBP	9.7.	0	0	3	21	15.9
Holina	KBP	23.7.	0	0	3	113	16.5
Holina	KBP	7.8.	0	0	3	24	16.5
Holina	KBP	21.8.	0	0	3	9	16.5
Holina	KBP	4.9.	0	0	3	3	14.5
Holina	KBP	18.9.	0	0	3	35	12.5
Holina	KBP	2.10.	0	3	0	0	12.5
Holina	KO	11.6.	8	0	8	43	13.5
Holina	KO	25.6.	0	0	8	24	15.1
Holina	KO	9.7.	1	0	9	21	15.9
Holina	KO	23.7.	0	2	7	113	16.5
Holina	KO	7.8.	0	0	7	24	16.5
Holina	KO	21.8.	0	0	7	9	16.5
Holina	KO	4.9.	0	0	7	3	14.5
Holina	KO	18.9.	0	7	0	35	12.5

Holina	KO	2.10.	0	0	0	0	12.5
Holina	KF	11.6.	4	0	4	43	13.5
Holina	KF	25.6.	0	1	3	24	15.1
Holina	KF	9.7.	2	0	5	21	15.9
Holina	KF	23.7.	0	2	3	113	16.5
Holina	KF	7.8.	0	0	3	24	16.5
Holina	KF	21.8.	0	0	3	9	16.5
Holina	KF	4.9.	0	3	0	3	14.5
Holina	KF	18.9.	0	0	0	35	12.5
Holina	KF	2.10.	0	0	0	0	12.5
Por.stěna	VBP	11.6.	5	0	5	24	13.5
Por.stěna	VBP	11.6.	1	0	1	24	13.5
Por.stěna	VBP	11.6.	7	0	7	24	13.5
Por.stěna	VBP	11.6.	2	0	2	24	13.5
Por.stěna	VBP	11.6.	0	0	0	24	13.5
Por.stěna	VBP	25.6.	2	0	7	15	15.1
Por.stěna	VBP	25.6.	1	0	2	15	15.1
Por.stěna	VBP	25.6.	0	2	5	15	15.1
Por.stěna	VBP	25.6.	0	0	2	15	15.1
Por.stěna	VBP	25.6.	0	0	0	15	15.1
Por.stěna	VBP	9.7.	0	0	7	13	15.9
Por.stěna	VBP	9.7.	0	0	2	13	15.9
Por.stěna	VBP	9.7.	0	0	5	13	15.9
Por.stěna	VBP	9.7.	0	1	1	13	15.9
Por.stěna	VBP	9.7.	0	0	0	13	15.9
Por.stěna	VBP	23.7.	0	0	7	72	16.5
Por.stěna	VBP	23.7.	0	0	2	72	16.5
Por.stěna	VBP	23.7.	1	0	6	72	16.5
Por.stěna	VBP	23.7.	1	0	2	72	16.5
Por.stěna	VBP	23.7.	0	0	0	72	16.5
Por.stěna	VBP	7.8.	0	0	7	14	16.5
Por.stěna	VBP	7.8.	0	0	2	14	16.5
Por.stěna	VBP	7.8.	0	1	5	14	16.5
Por.stěna	VBP	7.8.	1	0	3	14	16.5
Por.stěna	VBP	7.8.	0	0	0	14	16.5
Por.stěna	VBP	21.8.	0	0	7	7	16.5
Por.stěna	VBP	21.8.	0	0	2	7	16.5
Por.stěna	VBP	21.8.	0	0	5	7	16.5
Por.stěna	VBP	21.8.	0	0	3	7	16.5
Por.stěna	VBP	21.8.	0	0	0	7	16.5
Por.stěna	VBP	4.9.	0	0	7	2	14.5
Por.stěna	VBP	4.9.	0	0	2	2	14.5
Por.stěna	VBP	4.9.	0	0	5	2	14.5
Por.stěna	VBP	4.9.	0	1	2	2	14.5
Por.stěna	VBP	4.9.	0	0	0	2	14.5
Por.stěna	VBP	18.9.	0	0	7	20	12.5
Por.stěna	VBP	18.9.	0	0	2	20	12.5
Por.stěna	VBP	18.9.	0	0	5	20	12.5
Por.stěna	VBP	18.9.	0	0	2	20	12.5
Por.stěna	VBP	18.9.	0	0	0	20	12.5

Por.stěna	VBP	2.10.	0	1	6	0	12.5
Por.stěna	VBP	2.10.	0	0	2	0	12.5
Por.stěna	VBP	2.10.	0	0	5	0	12.5
Por.stěna	VBP	2.10.	0	0	2	0	12.5
Por.stěna	VBP	2.10.	0	0	0	0	12.5
Por.stěna	VO1	11.6.	7	0	20	24	13.5
Por.stěna	VO1	11.6.	41	0	21	24	13.5
Por.stěna	VO1	11.6.	55	0	22	24	13.5
Por.stěna	VO1	11.6.	34	0	5	24	13.5
Por.stěna	VO1	11.6.	78	0	9	24	13.5
Por.stěna	VO1	25.6.	7	0	28	15	15.1
Por.stěna	VO1	25.6.	0	0	24	15	15.1
Por.stěna	VO1	25.6.	9	0	24	15	15.1
Por.stěna	VO1	25.6.	2	0	10	15	15.1
Por.stěna	VO1	25.6.	0	0	10	15	15.1
Por.stěna	VO1	9.7.	0	5	23	13	15.9
Por.stěna	VO1	9.7.	0	10	14	13	15.9
Por.stěna	VO1	9.7.	0	1	23	13	15.9
Por.stěna	VO1	9.7.	2	4	6	13	15.9
Por.stěna	VO1	9.7.	0	2	8	13	15.9
Por.stěna	VO1	23.7.	0	0	26	72	16.5
Por.stěna	VO1	23.7.	0	0	14	72	16.5
Por.stěna	VO1	23.7.	0	4	19	72	16.5
Por.stěna	VO1	23.7.	0	0	6	72	16.5
Por.stěna	VO1	23.7.	0	3	5	72	16.5
Por.stěna	VO1	7.8.	0	7	19	14	16.5
Por.stěna	VO1	7.8.	0	3	11	14	16.5
Por.stěna	VO1	7.8.	1	0	20	14	16.5
Por.stěna	VO1	7.8.	0	1	5	14	16.5
Por.stěna	VO1	7.8.	1	0	6	14	16.5
Por.stěna	VO1	21.8.	0	0	19	7	16.5
Por.stěna	VO1	21.8.	0	0	11	7	16.5
Por.stěna	VO1	21.8.	0	0	20	7	16.5
Por.stěna	VO1	21.8.	0	0	5	7	16.5
Por.stěna	VO1	21.8.	0	0	6	7	16.5
Por.stěna	VO1	4.9.	0	1	18	2	14.5
Por.stěna	VO1	4.9.	0	0	11	2	14.5
Por.stěna	VO1	4.9.	0	0	20	2	14.5
Por.stěna	VO1	4.9.	0	0	5	2	14.5
Por.stěna	VO1	4.9.	0	0	6	2	14.5
Por.stěna	VO1	18.9.	0	0	18	20	12.5
Por.stěna	VO1	18.9.	0	0	11	20	12.5
Por.stěna	VO1	18.9.	0	0	20	20	12.5
Por.stěna	VO1	18.9.	0	0	5	20	12.5
Por.stěna	VO1	18.9.	0	0	6	20	12.5
Por.stěna	VO1	2.10.	0	1	17	0	12.5
Por.stěna	VO1	2.10.	0	0	11	0	12.5
Por.stěna	VO1	2.10.	0	3	17	0	12.5
Por.stěna	VO1	2.10.	0	0	5	0	12.5
Por.stěna	VO1	2.10.	0	0	6	0	12.5

Por.stěna	VO2	11.6.	5	0	5	24	13.5
Por.stěna	VO2	11.6.	3	0	3	24	13.5
Por.stěna	VO2	11.6.	1	0	1	24	13.5
Por.stěna	VO2	11.6.	0	0	0	24	13.5
Por.stěna	VO2	11.6.	2	0	2	24	13.5
Por.stěna	VO2	25.6.	1	2	6	15	15.1
Por.stěna	VO2	25.6.	3	0	6	15	15.1
Por.stěna	VO2	25.6.	2	0	3	15	15.1
Por.stěna	VO2	25.6.	2	0	2	15	15.1
Por.stěna	VO2	25.6.	3	0	5	15	15.1
Por.stěna	VO2	9.7.	0	1	5	13	15.9
Por.stěna	VO2	9.7.	0	4	2	13	15.9
Por.stěna	VO2	9.7.	0	1	2	13	15.9
Por.stěna	VO2	9.7.	0	0	2	13	15.9
Por.stěna	VO2	9.7.	0	3	2	13	15.9
Por.stěna	VO2	23.7.	0	1	4	72	16.5
Por.stěna	VO2	23.7.	0	0	2	72	16.5
Por.stěna	VO2	23.7.	0	0	2	72	16.5
Por.stěna	VO2	23.7.	0	1	1	72	16.5
Por.stěna	VO2	23.7.	0	1	1	72	16.5
Por.stěna	VO2	7.8.	0	0	4	14	16.5
Por.stěna	VO2	7.8.	0	0	2	14	16.5
Por.stěna	VO2	7.8.	1	0	3	14	16.5
Por.stěna	VO2	7.8.	2	0	3	14	16.5
Por.stěna	VO2	7.8.	3	0	4	14	16.5
Por.stěna	VO2	21.8.	0	0	4	7	16.5
Por.stěna	VO2	21.8.	0	0	2	7	16.5
Por.stěna	VO2	21.8.	0	0	3	7	16.5
Por.stěna	VO2	21.8.	0	0	3	7	16.5
Por.stěna	VO2	21.8.	0	0	4	7	16.5
Por.stěna	VO2	4.9.	0	0	4	2	14.5
Por.stěna	VO2	4.9.	0	2	0	2	14.5
Por.stěna	VO2	4.9.	0	1	2	2	14.5
Por.stěna	VO2	4.9.	0	0	3	2	14.5
Por.stěna	VO2	4.9.	0	0	4	2	14.5
Por.stěna	VO2	18.9.	0	2	4	20	12.5
Por.stěna	VO2	18.9.	0	0	0	20	12.5
Por.stěna	VO2	18.9.	0	0	2	20	12.5
Por.stěna	VO2	18.9.	0	0	3	20	12.5
Por.stěna	VO2	18.9.	0	0	4	20	12.5
Por.stěna	VO2	2.10.	0	0	2	0	12.5
Por.stěna	VO2	2.10.	0	0	0	0	12.5
Por.stěna	VO2	2.10.	0	0	2	0	12.5
Por.stěna	VO2	2.10.	0	0	3	0	12.5
Por.stěna	VO2	2.10.	0	0	4	0	12.5
Por.stěna	VF	11.6.	5	0	5	24	13.5
Por.stěna	VF	11.6.	2	0	2	24	13.5
Por.stěna	VF	11.6.	2	0	2	24	13.5
Por.stěna	VF	11.6.	0	0	0	24	13.5
Por.stěna	VF	11.6.	5	0	5	24	13.5

Por.stěna	VF	25.6.	0	1	4	15	15.1
Por.stěna	VF	25.6.	0	1	1	15	15.1
Por.stěna	VF	25.6.	2	0	4	15	15.1
Por.stěna	VF	25.6.	4	0	4	15	15.1
Por.stěna	VF	25.6.	0	0	3	15	15.1
Por.stěna	VF	9.7.	0	4	0	13	15.9
Por.stěna	VF	9.7.	1	0	2	13	15.9
Por.stěna	VF	9.7.	0	3	1	13	15.9
Por.stěna	VF	9.7.	0	2	2	13	15.9
Por.stěna	VF	9.7.	0	3	0	13	15.9
Por.stěna	VF	23.7.	1	0	1	72	16.5
Por.stěna	VF	23.7.	1	0	3	72	16.5
Por.stěna	VF	23.7.	0	0	0	72	16.5
Por.stěna	VF	23.7.	0	0	2	72	16.5
Por.stěna	VF	23.7.	1	0	1	72	16.5
Por.stěna	VF	7.8.	0	0	1	14	16.5
Por.stěna	VF	7.8.	1	0	4	14	16.5
Por.stěna	VF	7.8.	0	0	0	14	16.5
Por.stěna	VF	7.8.	0	0	3	14	16.5
Por.stěna	VF	7.8.	0	0	1	14	16.5
Por.stěna	VF	21.8.	0	0	1	7	16.5
Por.stěna	VF	21.8.	0	0	4	7	16.5
Por.stěna	VF	21.8.	0	0	0	7	16.5
Por.stěna	VF	21.8.	1	0	3	7	16.5
Por.stěna	VF	21.8.	0	0	1	7	16.5
Por.stěna	VF	4.9.	0	0	1	2	14.5
Por.stěna	VF	4.9.	0	0	4	2	14.5
Por.stěna	VF	4.9.	0	0	0	2	14.5
Por.stěna	VF	4.9.	0	0	3	2	14.5
Por.stěna	VF	4.9.	0	0	1	2	14.5
Por.stěna	VF	18.9.	0	0	1	20	12.5
Por.stěna	VF	18.9.	0	0	4	20	12.5
Por.stěna	VF	18.9.	0	0	0	20	12.5
Por.stěna	VF	18.9.	0	0	3	20	12.5
Por.stěna	VF	18.9.	0	0	1	20	12.5
Por.stěna	VF	2.10.	0	0	0	0	12.5
Por.stěna	VF	2.10.	0	1	3	0	12.5
Por.stěna	VF	2.10.	0	0	0	0	12.5
Por.stěna	VF	2.10.	0	0	3	0	12.5
Por.stěna	VF	2.10.	0	0	1	0	12.5
Por.stěna	KBP	11.9.	0	0	0	24	13.5
Por.stěna	KBP	25.6.	0	0	0	15	15.1
Por.stěna	KBP	9.7.	0	0	0	13	15.9
Por.stěna	KBP	23.7.	0	0	0	72	16.5
Por.stěna	KBP	7.8.	1	0	1	14	16.5
Por.stěna	KBP	21.8.	0	0	1	7	16.5
Por.stěna	KBP	4.9.	0	0	1	2	14.5
Por.stěna	KBP	18.9.	0	0	1	20	12.5
Por.stěna	KBP	2.10.	0	0	1	0	12.5
Por.stěna	KO	11.6.	3	0	3	24	13.5



Por.stěna	KO	25.6.	0	0	3	15	15.1
Por.stěna	KO	9.7.	0	2	1	13	15.9
Por.stěna	KO	23.7.	2	0	3	72	16.5
Por.stěna	KO	7.8.	0	1	2	14	16.5
Por.stěna	KO	21.8.	0	0	2	7	16.5
Por.stěna	KO	4.9.	0	0	2	2	14.5
Por.stěna	KO	18.9.	0	0	2	20	12.5
Por.stěna	KO	2.10.	0	0	2	0	12.5
Por.stěna	KF	11.6.	2	0	2	24	13.5
Por.stěna	KF	25.6.	0	0	1	15	15.1
Por.stěna	KF	9.7.	0	1	0	13	15.9
Por.stěna	KF	23.7.	0	0	0	72	16.5
Por.stěna	KF	7.8.	0	0	0	14	16.5
Por.stěna	KF	21.8.	0	0	0	7	16.5
Por.stěna	KF	4.9.	0	0	0	2	14.5
Por.stěna	KF	18.9.	0	0	0	20	12.5
Por.stěna	KF	2.10.	0	0	0	0	12.5
od poroster	VBP	11.6.	7	0	7	20	13.5
od poroster	VBP	11.6.	0	0	0	20	13.5
od poroster	VBP	11.6.	2	0	2	20	13.5
od poroster	VBP	11.6.	2	0	2	20	13.5
od poroster	VBP	11.6.	2	0	2	20	13.5
od poroster	VBP	25.6.	0	0	7	7	15.1
od poroster	VBP	25.6.	0	0	0	7	15.1
od poroster	VBP	25.6.	0	0	2	7	15.1
od poroster	VBP	25.6.	0	0	2	7	15.1
od poroster	VBP	25.6.	0	0	2	7	15.1
od poroster	VBP	9.7.	0	0	7	12	15.9
od poroster	VBP	9.7.	0	0	0	12	15.9
od poroster	VBP	9.7.	0	0	2	12	15.9
od poroster	VBP	9.7.	0	2	0	12	15.9
od poroster	VBP	9.7.	1	0	3	12	15.9
od poroster	VBP	23.7.	4	0	11	51	16.5
od poroster	VBP	23.7.	0	0	0	51	16.5
od poroster	VBP	23.7.	0	0	2	51	16.5
od poroster	VBP	23.7.	0	0	0	51	16.5
od poroster	VBP	23.7.	0	0	3	51	16.5
od poroster	VBP	7.8.	0	2	9	10	16.5
od poroster	VBP	7.8.	0	0	0	10	16.5
od poroster	VBP	7.8.	0	1	1	10	16.5
od poroster	VBP	7.8.	0	0	0	10	16.5
od poroster	VBP	7.8.	0	0	3	10	16.5
od poroster	VBP	21.8.	0	0	9	0	16.5
od poroster	VBP	21.8.	0	0	0	0	16.5
od poroster	VBP	21.8.	0	0	1	0	16.5
od poroster	VBP	21.8.	0	0	0	0	16.5
od poroster	VBP	21.8.	0	0	3	0	16.5
od poroster	VBP	4.9.	0	0	9	3	14.5
od poroster	VBP	4.9.	0	0	0	3	14.5
od poroster	VBP	4.9.	0	1	0	3	14.5

od poroster	VBP	4.9.	0	0	0	3	14.5
od poroster	VBP	4.9.	0	0	3	3	14.5
od poroster	VBP	18.9.	0	0	9	7	12.5
od poroster	VBP	18.9.	0	0	0	7	12.5
od poroster	VBP	18.9.	0	0	0	7	12.5
od poroster	VBP	18.9.	0	0	0	7	12.5
od poroster	VBP	18.9.	0	0	3	7	12.5
od poroster	VBP	2.10.	0	5	4	0	12.5
od poroster	VBP	2.10.	0	0	0	0	12.5
od poroster	VBP	2.10.	0	0	0	0	12.5
od poroster	VBP	2.10.	0	0	0	0	12.5
od poroster	VBP	2.10.	0	2	1	0	12.5
od poroster	VO1	11.6.	7	0	7	20	13.5
od poroster	VO1	11.6.	41	0	41	20	13.5
od poroster	VO1	11.6.	55	0	55	20	13.5
od poroster	VO1	11.6.	34	0	34	20	13.5
od poroster	VO1	11.6.	78	0	78	20	13.5
od poroster	VO1	25.6.	7	0	14	7	15.1
od poroster	VO1	25.6.	0	0	34	7	15.1
od poroster	VO1	25.6.	9	0	64	7	15.1
od poroster	VO1	25.6.	2	0	36	7	15.1
od poroster	VO1	25.6.	0	0	78	7	15.1
od poroster	VO1	9.7.	0	4	10	12	15.9
od poroster	VO1	9.7.	0	0	34	12	15.9
od poroster	VO1	9.7.	0	12	52	12	15.9
od poroster	VO1	9.7.	2	0	38	12	15.9
od poroster	VO1	9.7.	0	12	66	12	15.9
od poroster	VO1	23.7.	0	2	8	51	16.5
od poroster	VO1	23.7.	0	10	24	51	16.5
od poroster	VO1	23.7.	0	10	42	51	16.5
od poroster	VO1	23.7.	0	11	27	51	16.5
od poroster	VO1	23.7.	0	2	64	51	16.5
od poroster	VO1	7.8.	1	0	9	10	16.5
od poroster	VO1	7.8.	0	0	24	10	16.5
od poroster	VO1	7.8.	1	0	43	10	16.5
od poroster	VO1	7.8.	0	0	27	10	16.5
od poroster	VO1	7.8.	0	3	61	10	16.5
od poroster	VO1	21.8.	0	0	9	0	16.5
od poroster	VO1	21.8.	0	0	24	0	16.5
od poroster	VO1	21.8.	0	0	43	0	16.5
od poroster	VO1	21.8.	0	0	27	0	16.5
od poroster	VO1	21.8.	0	0	61	0	16.5
od poroster	VO1	4.9.	0	0	9	3	14.5
od poroster	VO1	4.9.	0	2	22	3	14.5
od poroster	VO1	4.9.	0	8	35	3	14.5
od poroster	VO1	4.9.	0	5	22	3	14.5
od poroster	VO1	4.9.	0	11	50	3	14.5
od poroster	VO1	18.9.	0	3	6	7	12.5
od poroster	VO1	18.9.	0	4	18	7	12.5
od poroster	VO1	18.9.	0	4	31	7	12.5

od poroster	VO1	18.9.	0	12	10	7	12.5
od poroster	VO1	18.9.	0	5	45	7	12.5
od poroster	VO1	2.10.	0	0	6	0	12.5
od poroster	VO1	2.10.	0	0	18	0	12.5
od poroster	VO1	2.10.	0	0	31	0	12.5
od poroster	VO1	2.10.	0	0	10	0	12.5
od poroster	VO1	2.10.	0	13	32	0	12.5
od poroster	VO2	11.6.	5	0	5	20	13.5
od poroster	VO2	11.6.	1	0	1	20	13.5
od poroster	VO2	11.6.	13	0	13	20	13.5
od poroster	VO2	11.6.	9	0	9	20	13.5
od poroster	VO2	11.6.	8	0	8	20	13.5
od poroster	VO2	25.6.	15	0	20	7	15.1
od poroster	VO2	25.6.	7	0	8	7	15.1
od poroster	VO2	25.6.	33	0	46	7	15.1
od poroster	VO2	25.6.	16	0	25	7	15.1
od poroster	VO2	25.6.	13	0	21	7	15.1
od poroster	VO2	9.7.	5	0	25	12	15.9
od poroster	VO2	9.7.	0	4	4	12	15.9
od poroster	VO2	9.7.	0	2	44	12	15.9
od poroster	VO2	9.7.	6	1	31	12	15.9
od poroster	VO2	9.7.	0	1	20	12	15.9
od poroster	VO2	23.7.	0	5	21	51	16.5
od poroster	VO2	23.7.	0	0	4	51	16.5
od poroster	VO2	23.7.	0	3	41	51	16.5
od poroster	VO2	23.7.	0	17	14	51	16.5
od poroster	VO2	23.7.	0	7	14	51	16.5
od poroster	VO2	7.8.	0	4	16	10	16.5
od poroster	VO2	7.8.	0	0	4	10	16.5
od poroster	VO2	7.8.	0	4	37	10	16.5
od poroster	VO2	7.8.	0	4	10	10	16.5
od poroster	VO2	7.8.	0	0	15	10	16.5
od poroster	VO2	21.8.	0	0	16	0	16.5
od poroster	VO2	21.8.	0	0	4	0	16.5
od poroster	VO2	21.8.	0	0	37	0	16.5
od poroster	VO2	21.8.	0	0	10	0	16.5
od poroster	VO2	21.8.	0	0	15	0	16.5
od poroster	VO2	4.9.	0	0	16	3	14.5
od poroster	VO2	4.9.	0	0	4	3	14.5
od poroster	VO2	4.9.	0	0	37	3	14.5
od poroster	VO2	4.9.	0	0	10	3	14.5
od poroster	VO2	4.9.	0	0	15	3	14.5
od poroster	VO2	18.9.	0	7	9	7	12.5
od poroster	VO2	18.9.	0	1	3	7	12.5
od poroster	VO2	18.9.	0	7	30	7	12.5
od poroster	VO2	18.9.	0	6	4	7	12.5
od poroster	VO2	18.9.	0	5	10	7	12.5
od poroster	VO2	2.10.	0	0	9	0	12.5
od poroster	VO2	2.10.	0	0	3	0	12.5
od poroster	VO2	2.10.	0	14	16	0	12.5

od poroster	VO2	2.10.	0	0	4	0	12.5
od poroster	VO2	2.10.	0	0	10	0	12.5
od poroster	VF	11.6.	27	0	27	20	13.5
od poroster	VF	11.6.	31	0	31	20	13.5
od poroster	VF	11.6.	16	0	16	20	13.5
od poroster	VF	11.6.	34	0	34	20	13.5
od poroster	VF	11.6.	26	0	26	20	13.5
od poroster	VF	25.6.	0	4	23	7	15.1
od poroster	VF	25.6.	0	10	21	7	15.1
od poroster	VF	25.6.	2	0	18	7	15.1
od poroster	VF	25.6.	0	0	34	7	15.1
od poroster	VF	25.6.	0	5	21	7	15.1
od poroster	VF	9.7.	0	3	20	12	15.9
od poroster	VF	9.7.	0	0	21	12	15.9
od poroster	VF	9.7.	0	2	16	12	15.9
od poroster	VF	9.7.	0	0	34	12	15.9
od poroster	VF	9.7.	0	3	18	12	15.9
od poroster	VF	23.7.	5	0	25	51	16.5
od poroster	VF	23.7.	1	0	22	51	16.5
od poroster	VF	23.7.	0	4	12	51	16.5
od poroster	VF	23.7.	0	3	31	51	16.5
od poroster	VF	23.7.	3	0	21	51	16.5
od poroster	VF	7.8.	0	0	25	10	16.5
od poroster	VF	7.8.	2	0	24	10	16.5
od poroster	VF	7.8.	0	1	11	10	16.5
od poroster	VF	7.8.	2	0	33	10	16.5
od poroster	VF	7.8.	0	0	21	10	16.5
od poroster	VF	21.8.	0	0	25	0	16.5
od poroster	VF	21.8.	0	0	24	0	16.5
od poroster	VF	21.8.	0	0	11	0	16.5
od poroster	VF	21.8.	0	0	33	0	16.5
od poroster	VF	21.8.	0	0	21	0	16.5
od poroster	VF	4.9.	0	9	16	3	14.5
od poroster	VF	4.9.	0	0	24	3	14.5
od poroster	VF	4.9.	0	3	8	3	14.5
od poroster	VF	4.9.	0	7	26	3	14.5
od poroster	VF	4.9.	0	0	21	3	14.5
od poroster	VF	18.9.	0	0	16	7	12.5
od poroster	VF	18.9.	0	0	24	7	12.5
od poroster	VF	18.9.	0	0	8	7	12.5
od poroster	VF	18.9.	0	6	21	7	12.5
od poroster	VF	18.9.	0	0	21	7	12.5
od poroster	VF	2.10.	0	0	16	0	12.5
od poroster	VF	2.10.	0	7	17	0	12.5
od poroster	VF	2.10.	0	0	8	0	12.5
od poroster	VF	2.10.	0	0	21	0	12.5
od poroster	VF	2.10.	0	0	21	0	12.5
od poroster	KBP	11.6.	0	0	0	20	13.5
od poroster	KBP	25.6.	0	0	0	7	15.1
od poroster	KBP	9.7.	0	0	0	12	15.9

od poroster	KBP	23.7.	0	0	0	51	16.5
od poroster	KBP	7.8.	0	0	0	10	16.5
od poroster	KBP	21.8.	0	0	0	0	16.5
od poroster	KBP	4.9.	0	0	0	3	14.5
od poroster	KBP	18.9.	0	0	0	7	12.5
od poroster	KBP	2.10.	0	0	0	0	12.5
od poroster	KO	11.6.	5	0	5	20	13.5
od poroster	KO	25.6.	12	0	17	7	15.1
od poroster	KO	9.7.	4	0	21	12	15.9
od poroster	KO	23.7.	0	11	10	51	16.5
od poroster	KO	7.8.	0	1	9	10	16.5
od poroster	KO	21.8.	0	0	9	0	16.5
od poroster	KO	4.9.	0	0	9	3	14.5
od poroster	KO	18.9.	0	0	9	7	12.5
od poroster	KO	2.10.	0	3	6	0	12.5
od poroster	KF	11.6.	11	0	11	20	13.5
od poroster	KF	25.6.	0	1	10	7	15.1
od poroster	KF	9.7.	0	5	5	12	15.9
od poroster	KF	23.7.	0	0	7	51	16.5
od poroster	KF	7.8.	0	0	7	10	16.5
od poroster	KF	21.8.	0	0	7	0	16.5
od poroster	KF	4.9.	0	1	6	3	14.5
od poroster	KF	18.9.	0	0	6	7	12.5
od poroster	KF	2.10.	0	0	6	0	12.5

Zápoj porostu	příprava půdy	datum	Klíčení- nové	Mortalita- nové	Suma vyklíčených semen období	Suma srážek	Prům teplota
Holina	VBP	11.6.	3.00%	0.00%	3.00%	43	13.5
Holina	VBP	11.6.	12.00%	0.00%	12.00%	43	13.5
Holina	VBP	11.6.	8.00%	0.00%	8.00%	43	13.5
Holina	VBP	11.6.	5.50%	0.00%	5.50%	43	13.5
Holina	VBP	11.6.	5.00%	0.00%	5.00%	43	13.5
Holina	VBP	25.6.	6.50%	0.00%	9.50%	24	15.1
Holina	VBP	25.6.	10.50%	0.00%	22.50%	24	15.1
Holina	VBP	25.6.	3.00%	0.00%	11.00%	24	15.1
Holina	VBP	25.6.	3.00%	0.00%	8.50%	24	15.1
Holina	VBP	25.6.	5.50%	0.00%	10.50%	24	15.1
Holina	VBP	9.7.	3.00%	0.00%	10.00%	21	15.9
Holina	VBP	9.7.	12.00%	0.00%	22.50%	21	15.9
Holina	VBP	9.7.	7.50%	0.50%	10.50%	21	15.9
Holina	VBP	9.7.	5.50%	0.00%	8.50%	21	15.9
Holina	VBP	9.7.	3.50%	1.50%	9.00%	21	15.9
Holina	VBP	23.7.	7.50%	0.00%	10.50%	113	16.5
Holina	VBP	23.7.	7.50%	3.00%	19.50%	113	16.5
Holina	VBP	23.7.	6.00%	0.00%	13.50%	113	16.5
Holina	VBP	23.7.	6.50%	0.00%	12.00%	113	16.5
Holina	VBP	23.7.	11.50%	0.00%	15.00%	113	16.5
Holina	VBP	7.8.	3.00%	0.00%	10.50%	24	16.5
Holina	VBP	7.8.	11.00%	1.00%	18.50%	24	16.5
Holina	VBP	7.8.	7.50%	0.00%	13.50%	24	16.5
Holina	VBP	7.8.	8.00%	0.00%	14.50%	24	16.5
Holina	VBP	7.8.	3.50%	0.00%	15.00%	24	16.5
Holina	VBP	21.8.	7.50%	0.00%	10.50%	9	16.5
Holina	VBP	21.8.	7.50%	0.00%	18.50%	9	16.5
Holina	VBP	21.8.	6.00%	0.00%	13.50%	9	16.5
Holina	VBP	21.8.	6.50%	0.00%	14.50%	9	16.5
Holina	VBP	21.8.	11.50%	0.00%	15.00%	9	16.5
Holina	VBP	4.9.	2.00%	1.00%	9.50%	3	14.5
Holina	VBP	4.9.	11.00%	0.00%	18.50%	3	14.5
Holina	VBP	4.9.	7.50%	0.00%	13.50%	3	14.5
Holina	VBP	4.9.	7.00%	1.00%	13.50%	3	14.5
Holina	VBP	4.9.	3.50%	0.00%	15.00%	3	14.5
Holina	VBP	18.9.	7.50%	0.00%	9.50%	35	12.5
Holina	VBP	18.9.	7.50%	0.00%	18.50%	35	12.5
Holina	VBP	18.9.	6.00%	0.00%	13.50%	35	12.5
Holina	VBP	18.9.	6.50%	0.00%	13.50%	35	12.5
Holina	VBP	18.9.	12.00%	0.00%	15.50%	35	12.5
Holina	VBP	2.10.	2.00%	0.00%	9.50%	0	12.5
Holina	VBP	2.10.	11.00%	0.00%	18.50%	0	12.5
Holina	VBP	2.10.	5.00%	2.50%	11.00%	0	12.5
Holina	VBP	2.10.	7.00%	0.00%	13.50%	0	12.5
Holina	VBP	2.10.	3.50%	0.00%	15.50%	0	12.5
Holina	VO1	11.6.	25.00%	0.00%	25.00%	43	13.5
Holina	VO1	11.6.	4.50%	0.00%	4.50%	43	13.5
Holina	VO1	11.6.	18.00%	0.00%	18.00%	43	13.5

Holina	VO1	11.6.	44.00%	0.00%	44.00%	43	13.5
Holina	VO1	11.6.	12.00%	0.00%	12.00%	43	13.5
Holina	VO1	25.6.	0.00%	0.50%	24.50%	24	15.1
Holina	VO1	25.6.	2.00%	0.00%	6.50%	24	15.1
Holina	VO1	25.6.	0.00%	4.50%	13.50%	24	15.1
Holina	VO1	25.6.	4.00%	0.00%	48.00%	24	15.1
Holina	VO1	25.6.	0.00%	0.50%	11.50%	24	15.1
Holina	VO1	9.7.	0.00%	1.50%	23.00%	21	15.9
Holina	VO1	9.7.	0.00%	1.00%	5.50%	21	15.9
Holina	VO1	9.7.	0.00%	1.50%	12.00%	21	15.9
Holina	VO1	9.7.	0.00%	0.50%	49.00%	21	15.9
Holina	VO1	9.7.	0.00%	0.00%	11.50%	21	15.9
Holina	VO1	23.7.	0.00%	0.50%	22.50%	113	16.5
Holina	VO1	23.7.	0.00%	0.50%	5.00%	113	16.5
Holina	VO1	23.7.	0.00%	0.00%	12.00%	113	16.5
Holina	VO1	23.7.	0.00%	0.00%	49.00%	113	16.5
Holina	VO1	23.7.	0.00%	1.00%	10.50%	113	16.5
Holina	VO1	7.8.	0.00%	0.00%	22.50%	24	16.5
Holina	VO1	7.8.	0.00%	0.50%	4.50%	24	16.5
Holina	VO1	7.8.	1.00%	0.00%	13.00%	24	16.5
Holina	VO1	7.8.	0.00%	0.00%	49.00%	24	16.5
Holina	VO1	7.8.	0.00%	0.00%	10.50%	24	16.5
Holina	VO1	21.8.	0.00%	0.00%	22.50%	9	16.5
Holina	VO1	21.8.	0.00%	0.00%	4.50%	9	16.5
Holina	VO1	21.8.	0.00%	0.00%	13.00%	9	16.5
Holina	VO1	21.8.	0.00%	0.00%	49.00%	9	16.5
Holina	VO1	21.8.	0.00%	0.00%	10.50%	9	16.5
Holina	VO1	4.9.	0.00%	2.50%	20.00%	3	14.5
Holina	VO1	4.9.	0.00%	1.50%	3.00%	3	14.5
Holina	VO1	4.9.	0.00%	0.00%	13.00%	3	14.5
Holina	VO1	4.9.	0.00%	0.00%	49.00%	3	14.5
Holina	VO1	4.9.	0.00%	0.00%	10.50%	3	14.5
Holina	VO1	18.9.	0.00%	0.00%	20.00%	35	12.5
Holina	VO1	18.9.	0.00%	0.00%	3.00%	35	12.5
Holina	VO1	18.9.	0.00%	2.00%	11.00%	35	12.5
Holina	VO1	18.9.	0.00%	5.50%	43.50%	35	12.5
Holina	VO1	18.9.	0.00%	0.50%	10.00%	35	12.5
Holina	VO1	2.10.	0.00%	2.00%	18.00%	0	12.5
Holina	VO1	2.10.	0.00%	0.00%	3.00%	0	12.5
Holina	VO1	2.10.	0.00%	0.00%	11.00%	0	12.5
Holina	VO1	2.10.	0.00%	0.00%	43.50%	0	12.5
Holina	VO1	2.10.	0.00%	0.00%	10.00%	0	12.5
Holina	VO2	11.6.	9.00%	0.00%	9.00%	43	13.5
Holina	VO2	11.6.	7.00%	0.00%	7.00%	43	13.5
Holina	VO2	11.6.	9.00%	0.00%	9.00%	43	13.5
Holina	VO2	11.6.	5.50%	0.00%	5.50%	43	13.5
Holina	VO2	11.6.	11.50%	0.00%	11.50%	43	13.5
Holina	VO2	25.6.	3.50%	0.00%	12.50%	24	15.1
Holina	VO2	25.6.	0.00%	0.00%	7.00%	24	15.1
Holina	VO2	25.6.	7.50%	0.00%	16.50%	24	15.1

Holina	VO2	25.6.	3.00%	0.00%	8.50%	24	15.1
Holina	VO2	25.6.	7.50%	0.00%	19.00%	24	15.1
Holina	VO2	9.7.	0.00%	2.00%	10.50%	21	15.9
Holina	VO2	9.7.	0.00%	1.00%	6.00%	21	15.9
Holina	VO2	9.7.	0.00%	0.50%	16.00%	21	15.9
Holina	VO2	9.7.	0.00%	2.00%	6.50%	21	15.9
Holina	VO2	9.7.	0.00%	1.00%	18.00%	21	15.9
Holina	VO2	23.7.	0.00%	0.00%	10.50%	113	16.5
Holina	VO2	23.7.	0.50%	0.00%	6.50%	113	16.5
Holina	VO2	23.7.	0.00%	1.00%	15.00%	113	16.5
Holina	VO2	23.7.	0.00%	0.50%	6.00%	113	16.5
Holina	VO2	23.7.	0.00%	0.50%	17.50%	113	16.5
Holina	VO2	7.8.	1.00%	0.00%	11.50%	24	16.5
Holina	VO2	7.8.	0.00%	0.50%	6.00%	24	16.5
Holina	VO2	7.8.	0.00%	1.00%	14.00%	24	16.5
Holina	VO2	7.8.	0.00%	0.00%	6.00%	24	16.5
Holina	VO2	7.8.	0.00%	0.00%	17.50%	24	16.5
Holina	VO2	21.8.	0.00%	0.00%	11.50%	9	16.5
Holina	VO2	21.8.	0.00%	0.00%	6.00%	9	16.5
Holina	VO2	21.8.	0.00%	0.00%	14.00%	9	16.5
Holina	VO2	21.8.	0.00%	0.00%	6.00%	9	16.5
Holina	VO2	21.8.	0.00%	0.00%	17.50%	9	16.5
Holina	VO2	4.9.	0.00%	3.00%	8.50%	3	14.5
Holina	VO2	4.9.	0.00%	3.00%	3.00%	3	14.5
Holina	VO2	4.9.	0.00%	0.00%	14.00%	3	14.5
Holina	VO2	4.9.	0.00%	0.00%	6.00%	3	14.5
Holina	VO2	4.9.	0.00%	0.00%	17.50%	3	14.5
Holina	VO2	18.9.	0.00%	0.00%	8.50%	35	12.5
Holina	VO2	18.9.	0.00%	0.00%	3.00%	35	12.5
Holina	VO2	18.9.	0.00%	2.00%	12.00%	35	12.5
Holina	VO2	18.9.	0.00%	1.50%	4.50%	35	12.5
Holina	VO2	18.9.	0.00%	3.00%	14.50%	35	12.5
Holina	VO2	2.10.	0.00%	0.00%	8.50%	0	12.5
Holina	VO2	2.10.	0.00%	1.50%	1.50%	0	12.5
Holina	VO2	2.10.	0.00%	0.00%	12.00%	0	12.5
Holina	VO2	2.10.	0.00%	0.00%	4.50%	0	12.5
Holina	VO2	2.10.	0.00%	0.00%	14.50%	0	12.5
Holina	VF	11.6.	7.50%	0.00%	16.00%	43	13.5
Holina	VF	11.6.	11.00%	0.00%	12.50%	43	13.5
Holina	VF	11.6.	7.50%	0.00%	7.50%	43	13.5
Holina	VF	11.6.	2.50%	0.00%	7.00%	43	13.5
Holina	VF	11.6.	0.00%	0.00%	9.50%	43	13.5
Holina	VF	25.6.	7.00%	0.00%	23.00%	24	15.1
Holina	VF	25.6.	10.00%	0.00%	22.50%	24	15.1
Holina	VF	25.6.	2.50%	0.00%	10.00%	24	15.1
Holina	VF	25.6.	0.00%	0.50%	6.50%	24	15.1
Holina	VF	25.6.	0.00%	0.00%	21.00%	24	15.1
Holina	VF	9.7.	0.00%	4.00%	19.00%	21	15.9
Holina	VF	9.7.	0.00%	12.00%	10.50%	21	15.9
Holina	VF	9.7.	0.00%	5.50%	4.50%	21	15.9



Holina	VF	9.7.	0.00%	3.50%	3.00%	21	15.9
Holina	VF	9.7.	0.00%	3.50%	17.50%	21	15.9
Holina	VF	23.7.	0.00%	3.50%	15.50%	113	16.5
Holina	VF	23.7.	1.00%	0.00%	11.50%	113	16.5
Holina	VF	23.7.	1.00%	0.00%	5.50%	113	16.5
Holina	VF	23.7.	0.00%	0.00%	3.00%	113	16.5
Holina	VF	23.7.	0.00%	2.00%	15.50%	113	16.5
Holina	VF	7.8.	0.00%	1.50%	14.00%	24	16.5
Holina	VF	7.8.	0.00%	0.00%	11.50%	24	16.5
Holina	VF	7.8.	0.00%	0.50%	5.00%	24	16.5
Holina	VF	7.8.	0.00%	0.00%	3.00%	24	16.5
Holina	VF	7.8.	0.00%	1.00%	14.50%	24	16.5
Holina	VF	21.8.	0.00%	0.00%	14.00%	9	16.5
Holina	VF	21.8.	0.00%	0.00%	11.50%	9	16.5
Holina	VF	21.8.	0.00%	0.00%	5.00%	9	16.5
Holina	VF	21.8.	0.00%	0.00%	3.00%	9	16.5
Holina	VF	21.8.	0.00%	0.00%	14.50%	9	16.5
Holina	VF	4.9.	0.00%	0.00%	14.00%	3	14.5
Holina	VF	4.9.	0.00%	0.00%	11.50%	3	14.5
Holina	VF	4.9.	0.00%	0.00%	5.00%	3	14.5
Holina	VF	4.9.	0.00%	1.00%	2.00%	3	14.5
Holina	VF	4.9.	0.00%	1.00%	13.50%	3	14.5
Holina	VF	18.9.	0.00%	0.50%	13.50%	35	12.5
Holina	VF	18.9.	0.00%	0.00%	11.50%	35	12.5
Holina	VF	18.9.	0.00%	0.00%	5.00%	35	12.5
Holina	VF	18.9.	0.00%	0.00%	2.00%	35	12.5
Holina	VF	18.9.	0.00%	0.00%	13.50%	35	12.5
Holina	VF	2.10.	0.00%	0.00%	13.50%	0	12.5
Holina	VF	2.10.	0.00%	1.50%	10.00%	0	12.5
Holina	VF	2.10.	0.00%	1.50%	3.50%	0	12.5
Holina	VF	2.10.	0.00%	0.00%	2.00%	0	12.5
Holina	VF	2.10.	0.00%	0.00%	13.50%	0	12.5
Holina	KBP	11.6.	1.50%	0.00%	1.50%	43	13.5
Holina	KBP	25.6.	0.00%	0.00%	1.50%	24	15.1
Holina	KBP	9.7.	0.00%	0.00%	1.50%	21	15.9
Holina	KBP	23.7.	0.00%	0.00%	1.50%	113	16.5
Holina	KBP	7.8.	0.00%	0.00%	1.50%	24	16.5
Holina	KBP	21.8.	0.00%	0.00%	1.50%	9	16.5
Holina	KBP	4.9.	0.00%	0.00%	1.50%	3	14.5
Holina	KBP	18.9.	0.00%	0.00%	1.50%	35	12.5
Holina	KBP	2.10.	0.00%	1.50%	0.00%	0	12.5
Holina	KO	11.6.	4.00%	0.00%	4.00%	43	13.5
Holina	KO	25.6.	0.00%	0.00%	4.00%	24	15.1
Holina	KO	9.7.	0.50%	0.00%	4.50%	21	15.9
Holina	KO	23.7.	0.00%	1.00%	3.50%	113	16.5
Holina	KO	7.8.	0.00%	0.00%	3.50%	24	16.5
Holina	KO	21.8.	0.00%	0.00%	3.50%	9	16.5
Holina	KO	4.9.	0.00%	0.00%	3.50%	3	14.5
Holina	KO	18.9.	0.00%	3.50%	0.00%	35	12.5
Holina	KO	2.10.	0.00%	0.00%	0.00%	0	12.5

Holina	KF	11.6.	2.00%	0.00%	2.00%	43	13.5
Holina	KF	25.6.	0.00%	0.50%	1.50%	24	15.1
Holina	KF	9.7.	1.00%	0.00%	2.50%	21	15.9
Holina	KF	23.7.	0.00%	1.00%	1.50%	113	16.5
Holina	KF	7.8.	0.00%	0.00%	1.50%	24	16.5
Holina	KF	21.8.	0.00%	0.00%	1.50%	9	16.5
Holina	KF	4.9.	0.00%	1.50%	0.00%	3	14.5
Holina	KF	18.9.	0.00%	0.00%	0.00%	35	12.5
Holina	KF	2.10.	0.00%	0.00%	0.00%	0	12.5
Por.stěna	VBP	11.6.	2.50%	0.00%	2.50%	24	13.5
Por.stěna	VBP	11.6.	0.50%	0.00%	0.50%	24	13.5
Por.stěna	VBP	11.6.	3.50%	0.00%	3.50%	24	13.5
Por.stěna	VBP	11.6.	1.00%	0.00%	1.00%	24	13.5
Por.stěna	VBP	11.6.	0.00%	0.00%	0.00%	24	13.5
Por.stěna	VBP	25.6.	1.00%	0.00%	3.50%	15	15.1
Por.stěna	VBP	25.6.	0.50%	0.00%	1.00%	15	15.1
Por.stěna	VBP	25.6.	0.00%	1.00%	2.50%	15	15.1
Por.stěna	VBP	25.6.	0.00%	0.00%	1.00%	15	15.1
Por.stěna	VBP	25.6.	0.00%	0.00%	0.00%	15	15.1
Por.stěna	VBP	9.7.	0.00%	0.00%	3.50%	13	15.9
Por.stěna	VBP	9.7.	0.00%	0.00%	1.00%	13	15.9
Por.stěna	VBP	9.7.	0.00%	0.00%	2.50%	13	15.9
Por.stěna	VBP	9.7.	0.00%	0.50%	0.50%	13	15.9
Por.stěna	VBP	9.7.	0.00%	0.00%	0.00%	13	15.9
Por.stěna	VBP	23.7.	0.00%	0.00%	3.50%	72	16.5
Por.stěna	VBP	23.7.	0.00%	0.00%	1.00%	72	16.5
Por.stěna	VBP	23.7.	0.50%	0.00%	3.00%	72	16.5
Por.stěna	VBP	23.7.	0.50%	0.00%	1.00%	72	16.5
Por.stěna	VBP	23.7.	0.00%	0.00%	0.00%	72	16.5
Por.stěna	VBP	7.8.	0.00%	0.00%	3.50%	14	16.5
Por.stěna	VBP	7.8.	0.00%	0.00%	1.00%	14	16.5
Por.stěna	VBP	7.8.	0.00%	0.50%	2.50%	14	16.5
Por.stěna	VBP	7.8.	0.50%	0.00%	1.50%	14	16.5
Por.stěna	VBP	7.8.	0.00%	0.00%	0.00%	14	16.5
Por.stěna	VBP	21.8.	0.00%	0.00%	3.50%	7	16.5
Por.stěna	VBP	21.8.	0.00%	0.00%	1.00%	7	16.5
Por.stěna	VBP	21.8.	0.00%	0.00%	2.50%	7	16.5
Por.stěna	VBP	21.8.	0.00%	0.00%	1.50%	7	16.5
Por.stěna	VBP	21.8.	0.00%	0.00%	0.00%	7	16.5
Por.stěna	VBP	4.9.	0.00%	0.00%	3.50%	2	14.5
Por.stěna	VBP	4.9.	0.00%	0.00%	1.00%	2	14.5
Por.stěna	VBP	4.9.	0.00%	0.00%	2.50%	2	14.5
Por.stěna	VBP	4.9.	0.00%	0.50%	1.00%	2	14.5
Por.stěna	VBP	4.9.	0.00%	0.00%	0.00%	2	14.5
Por.stěna	VBP	18.9.	0.00%	0.00%	3.50%	20	12.5
Por.stěna	VBP	18.9.	0.00%	0.00%	1.00%	20	12.5
Por.stěna	VBP	18.9.	0.00%	0.00%	2.50%	20	12.5
Por.stěna	VBP	18.9.	0.00%	0.00%	1.00%	20	12.5
Por.stěna	VBP	18.9.	0.00%	0.00%	0.00%	20	12.5
Por.stěna	VBP	2.10.	0.00%	0.50%	3.00%	0	12.5

Por.stěna	VBP	2.10.	0.00%	0.00%	1.00%	0	12.5
Por.stěna	VBP	2.10.	0.00%	0.00%	2.50%	0	12.5
Por.stěna	VBP	2.10.	0.00%	0.00%	1.00%	0	12.5
Por.stěna	VBP	2.10.	0.00%	0.00%	0.00%	0	12.5
Por.stěna	VO1	11.6.	3.50%	0.00%	10.00%	24	13.5
Por.stěna	VO1	11.6.	20.50%	0.00%	10.50%	24	13.5
Por.stěna	VO1	11.6.	27.50%	0.00%	11.00%	24	13.5
Por.stěna	VO1	11.6.	17.00%	0.00%	2.50%	24	13.5
Por.stěna	VO1	11.6.	39.00%	0.00%	4.50%	24	13.5
Por.stěna	VO1	25.6.	3.50%	0.00%	14.00%	15	15.1
Por.stěna	VO1	25.6.	0.00%	0.00%	12.00%	15	15.1
Por.stěna	VO1	25.6.	4.50%	0.00%	12.00%	15	15.1
Por.stěna	VO1	25.6.	1.00%	0.00%	5.00%	15	15.1
Por.stěna	VO1	25.6.	0.00%	0.00%	5.00%	15	15.1
Por.stěna	VO1	9.7.	0.00%	2.50%	11.50%	13	15.9
Por.stěna	VO1	9.7.	0.00%	5.00%	7.00%	13	15.9
Por.stěna	VO1	9.7.	0.00%	0.50%	11.50%	13	15.9
Por.stěna	VO1	9.7.	1.00%	2.00%	3.00%	13	15.9
Por.stěna	VO1	9.7.	0.00%	1.00%	4.00%	13	15.9
Por.stěna	VO1	23.7.	0.00%	0.00%	13.00%	72	16.5
Por.stěna	VO1	23.7.	0.00%	0.00%	7.00%	72	16.5
Por.stěna	VO1	23.7.	0.00%	2.00%	9.50%	72	16.5
Por.stěna	VO1	23.7.	0.00%	0.00%	3.00%	72	16.5
Por.stěna	VO1	23.7.	0.00%	1.50%	2.50%	72	16.5
Por.stěna	VO1	7.8.	0.00%	3.50%	9.50%	14	16.5
Por.stěna	VO1	7.8.	0.00%	1.50%	5.50%	14	16.5
Por.stěna	VO1	7.8.	0.50%	0.00%	10.00%	14	16.5
Por.stěna	VO1	7.8.	0.00%	0.50%	2.50%	14	16.5
Por.stěna	VO1	7.8.	0.50%	0.00%	3.00%	14	16.5
Por.stěna	VO1	21.8.	0.00%	0.00%	9.50%	7	16.5
Por.stěna	VO1	21.8.	0.00%	0.00%	5.50%	7	16.5
Por.stěna	VO1	21.8.	0.00%	0.00%	10.00%	7	16.5
Por.stěna	VO1	21.8.	0.00%	0.00%	2.50%	7	16.5
Por.stěna	VO1	21.8.	0.00%	0.00%	3.00%	7	16.5
Por.stěna	VO1	4.9.	0.00%	0.50%	9.00%	2	14.5
Por.stěna	VO1	4.9.	0.00%	0.00%	5.50%	2	14.5
Por.stěna	VO1	4.9.	0.00%	0.00%	10.00%	2	14.5
Por.stěna	VO1	4.9.	0.00%	0.00%	2.50%	2	14.5
Por.stěna	VO1	4.9.	0.00%	0.00%	3.00%	2	14.5
Por.stěna	VO1	18.9.	0.00%	0.00%	9.00%	20	12.5
Por.stěna	VO1	18.9.	0.00%	0.00%	5.50%	20	12.5
Por.stěna	VO1	18.9.	0.00%	0.00%	10.00%	20	12.5
Por.stěna	VO1	18.9.	0.00%	0.00%	2.50%	20	12.5
Por.stěna	VO1	18.9.	0.00%	0.00%	3.00%	20	12.5
Por.stěna	VO1	2.10.	0.00%	0.50%	8.50%	0	12.5
Por.stěna	VO1	2.10.	0.00%	0.00%	5.50%	0	12.5
Por.stěna	VO1	2.10.	0.00%	1.50%	8.50%	0	12.5
Por.stěna	VO1	2.10.	0.00%	0.00%	2.50%	0	12.5
Por.stěna	VO1	2.10.	0.00%	0.00%	3.00%	0	12.5
Por.stěna	VO2	11.6.	2.50%	0.00%	2.50%	24	13.5

Por.stěna	VO2	11.6.	1.50%	0.00%	1.50%	24	13.5
Por.stěna	VO2	11.6.	0.50%	0.00%	0.50%	24	13.5
Por.stěna	VO2	11.6.	0.00%	0.00%	0.00%	24	13.5
Por.stěna	VO2	11.6.	1.00%	0.00%	1.00%	24	13.5
Por.stěna	VO2	25.6.	0.50%	1.00%	3.00%	15	15.1
Por.stěna	VO2	25.6.	1.50%	0.00%	3.00%	15	15.1
Por.stěna	VO2	25.6.	1.00%	0.00%	1.50%	15	15.1
Por.stěna	VO2	25.6.	1.00%	0.00%	1.00%	15	15.1
Por.stěna	VO2	25.6.	1.50%	0.00%	2.50%	15	15.1
Por.stěna	VO2	9.7.	0.00%	0.50%	2.50%	13	15.9
Por.stěna	VO2	9.7.	0.00%	2.00%	1.00%	13	15.9
Por.stěna	VO2	9.7.	0.00%	0.50%	1.00%	13	15.9
Por.stěna	VO2	9.7.	0.00%	0.00%	1.00%	13	15.9
Por.stěna	VO2	9.7.	0.00%	1.50%	1.00%	13	15.9
Por.stěna	VO2	23.7.	0.00%	0.50%	2.00%	72	16.5
Por.stěna	VO2	23.7.	0.00%	0.00%	1.00%	72	16.5
Por.stěna	VO2	23.7.	0.00%	0.00%	1.00%	72	16.5
Por.stěna	VO2	23.7.	0.00%	0.50%	0.50%	72	16.5
Por.stěna	VO2	23.7.	0.00%	0.50%	0.50%	72	16.5
Por.stěna	VO2	7.8.	0.00%	0.00%	2.00%	14	16.5
Por.stěna	VO2	7.8.	0.00%	0.00%	1.00%	14	16.5
Por.stěna	VO2	7.8.	0.50%	0.00%	1.50%	14	16.5
Por.stěna	VO2	7.8.	1.00%	0.00%	1.50%	14	16.5
Por.stěna	VO2	7.8.	1.50%	0.00%	2.00%	14	16.5
Por.stěna	VO2	21.8.	0.00%	0.00%	2.00%	7	16.5
Por.stěna	VO2	21.8.	0.00%	0.00%	1.00%	7	16.5
Por.stěna	VO2	21.8.	0.00%	0.00%	1.50%	7	16.5
Por.stěna	VO2	21.8.	0.00%	0.00%	1.50%	7	16.5
Por.stěna	VO2	21.8.	0.00%	0.00%	2.00%	7	16.5
Por.stěna	VO2	4.9.	0.00%	0.00%	2.00%	2	14.5
Por.stěna	VO2	4.9.	0.00%	1.00%	0.00%	2	14.5
Por.stěna	VO2	4.9.	0.00%	0.50%	1.00%	2	14.5
Por.stěna	VO2	4.9.	0.00%	0.00%	1.50%	2	14.5
Por.stěna	VO2	4.9.	0.00%	0.00%	2.00%	2	14.5
Por.stěna	VO2	18.9.	0.00%	1.00%	2.00%	20	12.5
Por.stěna	VO2	18.9.	0.00%	0.00%	0.00%	20	12.5
Por.stěna	VO2	18.9.	0.00%	0.00%	1.00%	20	12.5
Por.stěna	VO2	18.9.	0.00%	0.00%	1.50%	20	12.5
Por.stěna	VO2	18.9.	0.00%	0.00%	2.00%	20	12.5
Por.stěna	VO2	2.10.	0.00%	0.00%	1.00%	0	12.5
Por.stěna	VO2	2.10.	0.00%	0.00%	0.00%	0	12.5
Por.stěna	VO2	2.10.	0.00%	0.00%	1.00%	0	12.5
Por.stěna	VO2	2.10.	0.00%	0.00%	1.50%	0	12.5
Por.stěna	VO2	2.10.	0.00%	0.00%	2.00%	0	12.5
Por.stěna	VF	11.6.	2.50%	0.00%	2.50%	24	13.5
Por.stěna	VF	11.6.	1.00%	0.00%	1.00%	24	13.5
Por.stěna	VF	11.6.	1.00%	0.00%	1.00%	24	13.5
Por.stěna	VF	11.6.	0.00%	0.00%	0.00%	24	13.5
Por.stěna	VF	11.6.	2.50%	0.00%	2.50%	24	13.5
Por.stěna	VF	25.6.	0.00%	0.50%	2.00%	15	15.1

Por.stěna	VF	25.6.	0.00%	0.50%	0.50%	15	15.1
Por.stěna	VF	25.6.	1.00%	0.00%	2.00%	15	15.1
Por.stěna	VF	25.6.	2.00%	0.00%	2.00%	15	15.1
Por.stěna	VF	25.6.	0.00%	0.00%	1.50%	15	15.1
Por.stěna	VF	9.7.	0.00%	2.00%	0.00%	13	15.9
Por.stěna	VF	9.7.	0.50%	0.00%	1.00%	13	15.9
Por.stěna	VF	9.7.	0.00%	1.50%	0.50%	13	15.9
Por.stěna	VF	9.7.	0.00%	1.00%	1.00%	13	15.9
Por.stěna	VF	9.7.	0.00%	1.50%	0.00%	13	15.9
Por.stěna	VF	23.7.	0.50%	0.00%	0.50%	72	16.5
Por.stěna	VF	23.7.	0.50%	0.00%	1.50%	72	16.5
Por.stěna	VF	23.7.	0.00%	0.00%	0.00%	72	16.5
Por.stěna	VF	23.7.	0.00%	0.00%	1.00%	72	16.5
Por.stěna	VF	23.7.	0.50%	0.00%	0.50%	72	16.5
Por.stěna	VF	7.8.	0.00%	0.00%	0.50%	14	16.5
Por.stěna	VF	7.8.	0.50%	0.00%	2.00%	14	16.5
Por.stěna	VF	7.8.	0.00%	0.00%	0.00%	14	16.5
Por.stěna	VF	7.8.	0.00%	0.00%	1.50%	14	16.5
Por.stěna	VF	7.8.	0.00%	0.00%	0.50%	14	16.5
Por.stěna	VF	21.8.	0.00%	0.00%	0.50%	7	16.5
Por.stěna	VF	21.8.	0.00%	0.00%	2.00%	7	16.5
Por.stěna	VF	21.8.	0.00%	0.00%	0.00%	7	16.5
Por.stěna	VF	21.8.	0.50%	0.00%	1.50%	7	16.5
Por.stěna	VF	21.8.	0.00%	0.00%	0.50%	7	16.5
Por.stěna	VF	4.9.	0.00%	0.00%	0.50%	2	14.5
Por.stěna	VF	4.9.	0.00%	0.00%	2.00%	2	14.5
Por.stěna	VF	4.9.	0.00%	0.00%	0.00%	2	14.5
Por.stěna	VF	4.9.	0.00%	0.00%	1.50%	2	14.5
Por.stěna	VF	4.9.	0.00%	0.00%	0.50%	2	14.5
Por.stěna	VF	18.9.	0.00%	0.00%	0.50%	20	12.5
Por.stěna	VF	18.9.	0.00%	0.00%	2.00%	20	12.5
Por.stěna	VF	18.9.	0.00%	0.00%	0.00%	20	12.5
Por.stěna	VF	18.9.	0.00%	0.00%	1.50%	20	12.5
Por.stěna	VF	18.9.	0.00%	0.00%	0.50%	20	12.5
Por.stěna	VF	2.10.	0.00%	0.00%	0.00%	0	12.5
Por.stěna	VF	2.10.	0.00%	0.50%	1.50%	0	12.5
Por.stěna	VF	2.10.	0.00%	0.00%	0.00%	0	12.5
Por.stěna	VF	2.10.	0.00%	0.00%	1.50%	0	12.5
Por.stěna	VF	2.10.	0.00%	0.00%	0.50%	0	12.5
Por.stěna	KBP	11.9.	0.00%	0.00%	0.00%	24	13.5
Por.stěna	KBP	25.6.	0.00%	0.00%	0.00%	15	15.1
Por.stěna	KBP	9.7.	0.00%	0.00%	0.00%	13	15.9
Por.stěna	KBP	23.7.	0.00%	0.00%	0.00%	72	16.5
Por.stěna	KBP	7.8.	0.50%	0.00%	0.50%	14	16.5
Por.stěna	KBP	21.8.	0.00%	0.00%	0.50%	7	16.5
Por.stěna	KBP	4.9.	0.00%	0.00%	0.50%	2	14.5
Por.stěna	KBP	18.9.	0.00%	0.00%	0.50%	20	12.5
Por.stěna	KBP	2.10.	0.00%	0.00%	0.50%	0	12.5
Por.stěna	KO	11.6.	1.50%	0.00%	1.50%	24	13.5
Por.stěna	KO	25.6.	0.00%	0.00%	1.50%	15	15.1

Por.stěna	KO	9.7.	0.00%	1.00%	0.50%	13	15.9
Por.stěna	KO	23.7.	1.00%	0.00%	1.50%	72	16.5
Por.stěna	KO	7.8.	0.00%	0.50%	1.00%	14	16.5
Por.stěna	KO	21.8.	0.00%	0.00%	1.00%	7	16.5
Por.stěna	KO	4.9.	0.00%	0.00%	1.00%	2	14.5
Por.stěna	KO	18.9.	0.00%	0.00%	1.00%	20	12.5
Por.stěna	KO	2.10.	0.00%	0.00%	1.00%	0	12.5
Por.stěna	KF	11.6.	1.00%	0.00%	1.00%	24	13.5
Por.stěna	KF	25.6.	0.00%	0.00%	0.50%	15	15.1
Por.stěna	KF	9.7.	0.00%	0.50%	0.00%	13	15.9
Por.stěna	KF	23.7.	0.00%	0.00%	0.00%	72	16.5
Por.stěna	KF	7.8.	0.00%	0.00%	0.00%	14	16.5
Por.stěna	KF	21.8.	0.00%	0.00%	0.00%	7	16.5
Por.stěna	KF	4.9.	0.00%	0.00%	0.00%	2	14.5
Por.stěna	KF	18.9.	0.00%	0.00%	0.00%	20	12.5
Por.stěna	KF	2.10.	0.00%	0.00%	0.00%	0	12.5
Pod porost	VBP	11.6.	3.50%	0.00%	3.50%	20	13.5
Pod porost	VBP	11.6.	0.00%	0.00%	0.00%	20	13.5
Pod porost	VBP	11.6.	1.00%	0.00%	1.00%	20	13.5
Pod porost	VBP	11.6.	1.00%	0.00%	1.00%	20	13.5
Pod porost	VBP	11.6.	1.00%	0.00%	1.00%	20	13.5
Pod porost	VBP	25.6.	0.00%	0.00%	3.50%	7	15.1
Pod porost	VBP	25.6.	0.00%	0.00%	0.00%	7	15.1
Pod porost	VBP	25.6.	0.00%	0.00%	1.00%	7	15.1
Pod porost	VBP	25.6.	0.00%	0.00%	1.00%	7	15.1
Pod porost	VBP	25.6.	0.00%	0.00%	1.00%	7	15.1
Pod porost	VBP	9.7.	0.00%	0.00%	3.50%	12	15.9
Pod porost	VBP	9.7.	0.00%	0.00%	0.00%	12	15.9
Pod porost	VBP	9.7.	0.00%	0.00%	1.00%	12	15.9
Pod porost	VBP	9.7.	0.00%	1.00%	0.00%	12	15.9
Pod porost	VBP	9.7.	0.50%	0.00%	1.50%	12	15.9
Pod porost	VBP	23.7.	2.00%	0.00%	5.50%	51	16.5
Pod porost	VBP	23.7.	0.00%	0.00%	0.00%	51	16.5
Pod porost	VBP	23.7.	0.00%	0.00%	1.00%	51	16.5
Pod porost	VBP	23.7.	0.00%	0.00%	0.00%	51	16.5
Pod porost	VBP	23.7.	0.00%	0.00%	1.50%	51	16.5
Pod porost	VBP	7.8.	0.00%	1.00%	4.50%	10	16.5
Pod porost	VBP	7.8.	0.00%	0.00%	0.00%	10	16.5
Pod porost	VBP	7.8.	0.00%	0.50%	0.50%	10	16.5
Pod porost	VBP	7.8.	0.00%	0.00%	0.00%	10	16.5
Pod porost	VBP	7.8.	0.00%	0.00%	1.50%	10	16.5
Pod porost	VBP	21.8.	0.00%	0.00%	4.50%	0	16.5
Pod porost	VBP	21.8.	0.00%	0.00%	0.00%	0	16.5
Pod porost	VBP	21.8.	0.00%	0.00%	0.50%	0	16.5
Pod porost	VBP	21.8.	0.00%	0.00%	0.00%	0	16.5
Pod porost	VBP	21.8.	0.00%	0.00%	1.50%	0	16.5
Pod porost	VBP	4.9.	0.00%	0.00%	4.50%	3	14.5
Pod porost	VBP	4.9.	0.00%	0.00%	0.00%	3	14.5
Pod porost	VBP	4.9.	0.00%	0.50%	0.00%	3	14.5
Pod porost	VBP	4.9.	0.00%	0.00%	0.00%	3	14.5

Pod porost VBP	4.9.	0.00%	0.00%	1.50%	3	14.5
Pod porost VBP	18.9.	0.00%	0.00%	4.50%	7	12.5
Pod porost VBP	18.9.	0.00%	0.00%	0.00%	7	12.5
Pod porost VBP	18.9.	0.00%	0.00%	0.00%	7	12.5
Pod porost VBP	18.9.	0.00%	0.00%	0.00%	7	12.5
Pod porost VBP	18.9.	0.00%	0.00%	1.50%	7	12.5
Pod porost VBP	2.10.	0.00%	2.50%	2.00%	0	12.5
Pod porost VBP	2.10.	0.00%	0.00%	0.00%	0	12.5
Pod porost VBP	2.10.	0.00%	0.00%	0.00%	0	12.5
Pod porost VBP	2.10.	0.00%	0.00%	0.00%	0	12.5
Pod porost VBP	2.10.	0.00%	1.00%	0.50%	0	12.5
Pod porost VO1	11.6.	3.50%	0.00%	3.50%	20	13.5
Pod porost VO1	11.6.	20.50%	0.00%	20.50%	20	13.5
Pod porost VO1	11.6.	27.50%	0.00%	27.50%	20	13.5
Pod porost VO1	11.6.	17.00%	0.00%	17.00%	20	13.5
Pod porost VO1	11.6.	39.00%	0.00%	39.00%	20	13.5
Pod porost VO1	25.6.	3.50%	0.00%	7.00%	7	15.1
Pod porost VO1	25.6.	0.00%	0.00%	17.00%	7	15.1
Pod porost VO1	25.6.	4.50%	0.00%	32.00%	7	15.1
Pod porost VO1	25.6.	1.00%	0.00%	18.00%	7	15.1
Pod porost VO1	25.6.	0.00%	0.00%	39.00%	7	15.1
Pod porost VO1	9.7.	0.00%	2.00%	5.00%	12	15.9
Pod porost VO1	9.7.	0.00%	0.00%	17.00%	12	15.9
Pod porost VO1	9.7.	0.00%	6.00%	26.00%	12	15.9
Pod porost VO1	9.7.	1.00%	0.00%	19.00%	12	15.9
Pod porost VO1	9.7.	0.00%	6.00%	33.00%	12	15.9
Pod porost VO1	23.7.	0.00%	1.00%	4.00%	51	16.5
Pod porost VO1	23.7.	0.00%	5.00%	12.00%	51	16.5
Pod porost VO1	23.7.	0.00%	5.00%	21.00%	51	16.5
Pod porost VO1	23.7.	0.00%	5.50%	13.50%	51	16.5
Pod porost VO1	23.7.	0.00%	1.00%	32.00%	51	16.5
Pod porost VO1	7.8.	0.50%	0.00%	4.50%	10	16.5
Pod porost VO1	7.8.	0.00%	0.00%	12.00%	10	16.5
Pod porost VO1	7.8.	0.50%	0.00%	21.50%	10	16.5
Pod porost VO1	7.8.	0.00%	0.00%	13.50%	10	16.5
Pod porost VO1	7.8.	0.00%	1.50%	30.50%	10	16.5
Pod porost VO1	21.8.	0.00%	0.00%	4.50%	0	16.5
Pod porost VO1	21.8.	0.00%	0.00%	12.00%	0	16.5
Pod porost VO1	21.8.	0.00%	0.00%	21.50%	0	16.5
Pod porost VO1	21.8.	0.00%	0.00%	13.50%	0	16.5
Pod porost VO1	21.8.	0.00%	0.00%	30.50%	0	16.5
Pod porost VO1	4.9.	0.00%	0.00%	4.50%	3	14.5
Pod porost VO1	4.9.	0.00%	1.00%	11.00%	3	14.5
Pod porost VO1	4.9.	0.00%	4.00%	17.50%	3	14.5
Pod porost VO1	4.9.	0.00%	2.50%	11.00%	3	14.5
Pod porost VO1	4.9.	0.00%	5.50%	25.00%	3	14.5
Pod porost VO1	18.9.	0.00%	1.50%	3.00%	7	12.5
Pod porost VO1	18.9.	0.00%	2.00%	9.00%	7	12.5
Pod porost VO1	18.9.	0.00%	2.00%	15.50%	7	12.5
Pod porost VO1	18.9.	0.00%	6.00%	5.00%	7	12.5

Pod porost VO1	18.9.	0.00%	2.50%	22.50%	7	12.5
Pod porost VO1	2.10.	0.00%	0.00%	3.00%	0	12.5
Pod porost VO1	2.10.	0.00%	0.00%	9.00%	0	12.5
Pod porost VO1	2.10.	0.00%	0.00%	15.50%	0	12.5
Pod porost VO1	2.10.	0.00%	0.00%	5.00%	0	12.5
Pod porost VO1	2.10.	0.00%	6.50%	16.00%	0	12.5
Pod porost VO2	11.6.	2.50%	0.00%	2.50%	20	13.5
Pod porost VO2	11.6.	0.50%	0.00%	0.50%	20	13.5
Pod porost VO2	11.6.	6.50%	0.00%	6.50%	20	13.5
Pod porost VO2	11.6.	4.50%	0.00%	4.50%	20	13.5
Pod porost VO2	11.6.	4.00%	0.00%	4.00%	20	13.5
Pod porost VO2	25.6.	7.50%	0.00%	10.00%	7	15.1
Pod porost VO2	25.6.	3.50%	0.00%	4.00%	7	15.1
Pod porost VO2	25.6.	16.50%	0.00%	23.00%	7	15.1
Pod porost VO2	25.6.	8.00%	0.00%	12.50%	7	15.1
Pod porost VO2	25.6.	6.50%	0.00%	10.50%	7	15.1
Pod porost VO2	9.7.	2.50%	0.00%	12.50%	12	15.9
Pod porost VO2	9.7.	0.00%	2.00%	2.00%	12	15.9
Pod porost VO2	9.7.	0.00%	1.00%	22.00%	12	15.9
Pod porost VO2	9.7.	3.00%	0.50%	15.50%	12	15.9
Pod porost VO2	9.7.	0.00%	0.50%	10.00%	12	15.9
Pod porost VO2	23.7.	0.00%	2.50%	10.50%	51	16.5
Pod porost VO2	23.7.	0.00%	0.00%	2.00%	51	16.5
Pod porost VO2	23.7.	0.00%	1.50%	20.50%	51	16.5
Pod porost VO2	23.7.	0.00%	8.50%	7.00%	51	16.5
Pod porost VO2	23.7.	0.00%	3.50%	7.00%	51	16.5
Pod porost VO2	7.8.	0.00%	2.00%	8.00%	10	16.5
Pod porost VO2	7.8.	0.00%	0.00%	2.00%	10	16.5
Pod porost VO2	7.8.	0.00%	2.00%	18.50%	10	16.5
Pod porost VO2	7.8.	0.00%	2.00%	5.00%	10	16.5
Pod porost VO2	7.8.	0.00%	0.00%	7.50%	10	16.5
Pod porost VO2	21.8.	0.00%	0.00%	8.00%	0	16.5
Pod porost VO2	21.8.	0.00%	0.00%	2.00%	0	16.5
Pod porost VO2	21.8.	0.00%	0.00%	18.50%	0	16.5
Pod porost VO2	21.8.	0.00%	0.00%	5.00%	0	16.5
Pod porost VO2	21.8.	0.00%	0.00%	7.50%	0	16.5
Pod porost VO2	4.9.	0.00%	0.00%	8.00%	3	14.5
Pod porost VO2	4.9.	0.00%	0.00%	2.00%	3	14.5
Pod porost VO2	4.9.	0.00%	0.00%	18.50%	3	14.5
Pod porost VO2	4.9.	0.00%	0.00%	5.00%	3	14.5
Pod porost VO2	4.9.	0.00%	0.00%	7.50%	3	14.5
Pod porost VO2	18.9.	0.00%	3.50%	4.50%	7	12.5
Pod porost VO2	18.9.	0.00%	0.50%	1.50%	7	12.5
Pod porost VO2	18.9.	0.00%	3.50%	15.00%	7	12.5
Pod porost VO2	18.9.	0.00%	3.00%	2.00%	7	12.5
Pod porost VO2	18.9.	0.00%	2.50%	5.00%	7	12.5
Pod porost VO2	2.10.	0.00%	0.00%	4.50%	0	12.5
Pod porost VO2	2.10.	0.00%	0.00%	1.50%	0	12.5
Pod porost VO2	2.10.	0.00%	7.00%	8.00%	0	12.5
Pod porost VO2	2.10.	0.00%	0.00%	2.00%	0	12.5



Pod porost VO2	2.10.	0.00%	0.00%	5.00%	0	12.5
Pod porost VF	11.6.	13.50%	0.00%	13.50%	20	13.5
Pod porost VF	11.6.	15.50%	0.00%	15.50%	20	13.5
Pod porost VF	11.6.	8.00%	0.00%	8.00%	20	13.5
Pod porost VF	11.6.	17.00%	0.00%	17.00%	20	13.5
Pod porost VF	11.6.	13.00%	0.00%	13.00%	20	13.5
Pod porost VF	25.6.	0.00%	2.00%	11.50%	7	15.1
Pod porost VF	25.6.	0.00%	5.00%	10.50%	7	15.1
Pod porost VF	25.6.	1.00%	0.00%	9.00%	7	15.1
Pod porost VF	25.6.	0.00%	0.00%	17.00%	7	15.1
Pod porost VF	25.6.	0.00%	2.50%	10.50%	7	15.1
Pod porost VF	9.7.	0.00%	1.50%	10.00%	12	15.9
Pod porost VF	9.7.	0.00%	0.00%	10.50%	12	15.9
Pod porost VF	9.7.	0.00%	1.00%	8.00%	12	15.9
Pod porost VF	9.7.	0.00%	0.00%	17.00%	12	15.9
Pod porost VF	9.7.	0.00%	1.50%	9.00%	12	15.9
Pod porost VF	23.7.	2.50%	0.00%	12.50%	51	16.5
Pod porost VF	23.7.	0.50%	0.00%	11.00%	51	16.5
Pod porost VF	23.7.	0.00%	2.00%	6.00%	51	16.5
Pod porost VF	23.7.	0.00%	1.50%	15.50%	51	16.5
Pod porost VF	23.7.	1.50%	0.00%	10.50%	51	16.5
Pod porost VF	7.8.	0.00%	0.00%	12.50%	10	16.5
Pod porost VF	7.8.	1.00%	0.00%	12.00%	10	16.5
Pod porost VF	7.8.	0.00%	0.50%	5.50%	10	16.5
Pod porost VF	7.8.	1.00%	0.00%	16.50%	10	16.5
Pod porost VF	7.8.	0.00%	0.00%	10.50%	10	16.5
Pod porost VF	21.8.	0.00%	0.00%	12.50%	0	16.5
Pod porost VF	21.8.	0.00%	0.00%	12.00%	0	16.5
Pod porost VF	21.8.	0.00%	0.00%	5.50%	0	16.5
Pod porost VF	21.8.	0.00%	0.00%	16.50%	0	16.5
Pod porost VF	21.8.	0.00%	0.00%	10.50%	0	16.5
Pod porost VF	4.9.	0.00%	4.50%	8.00%	3	14.5
Pod porost VF	4.9.	0.00%	0.00%	12.00%	3	14.5
Pod porost VF	4.9.	0.00%	1.50%	4.00%	3	14.5
Pod porost VF	4.9.	0.00%	3.50%	13.00%	3	14.5
Pod porost VF	4.9.	0.00%	0.00%	10.50%	3	14.5
Pod porost VF	18.9.	0.00%	0.00%	8.00%	7	12.5
Pod porost VF	18.9.	0.00%	0.00%	12.00%	7	12.5
Pod porost VF	18.9.	0.00%	0.00%	4.00%	7	12.5
Pod porost VF	18.9.	0.00%	3.00%	10.50%	7	12.5
Pod porost VF	18.9.	0.00%	0.00%	10.50%	7	12.5
Pod porost VF	2.10.	0.00%	0.00%	8.00%	0	12.5
Pod porost VF	2.10.	0.00%	3.50%	8.50%	0	12.5
Pod porost VF	2.10.	0.00%	0.00%	4.00%	0	12.5
Pod porost VF	2.10.	0.00%	0.00%	10.50%	0	12.5
Pod porost VF	2.10.	0.00%	0.00%	10.50%	0	12.5
Pod porost KBP	11.6.	0.00%	0.00%	0.00%	20	13.5
Pod porost KBP	25.6.	0.00%	0.00%	0.00%	7	15.1
Pod porost KBP	9.7.	0.00%	0.00%	0.00%	12	15.9
Pod porost KBP	23.7.	0.00%	0.00%	0.00%	51	16.5

Pod porost KBP	7.8.	0.00%	0.00%	0.00%	10	16.5
Pod porost KBP	21.8.	0.00%	0.00%	0.00%	0	16.5
Pod porost KBP	4.9.	0.00%	0.00%	0.00%	3	14.5
Pod porost KBP	18.9.	0.00%	0.00%	0.00%	7	12.5
Pod porost KBP	2.10.	0.00%	0.00%	0.00%	0	12.5
Pod porost KO	11.6.	2.50%	0.00%	2.50%	20	13.5
Pod porost KO	25.6.	6.00%	0.00%	8.50%	7	15.1
Pod porost KO	9.7.	2.00%	0.00%	10.50%	12	15.9
Pod porost KO	23.7.	0.00%	5.50%	5.00%	51	16.5
Pod porost KO	7.8.	0.00%	0.50%	4.50%	10	16.5
Pod porost KO	21.8.	0.00%	0.00%	4.50%	0	16.5
Pod porost KO	4.9.	0.00%	0.00%	4.50%	3	14.5
Pod porost KO	18.9.	0.00%	0.00%	4.50%	7	12.5
Pod porost KO	2.10.	0.00%	1.50%	3.00%	0	12.5
Pod porost KF	11.6.	5.50%	0.00%	5.50%	20	13.5
Pod porost KF	25.6.	0.00%	0.50%	5.00%	7	15.1
Pod porost KF	9.7.	0.00%	2.50%	2.50%	12	15.9
Pod porost KF	23.7.	0.00%	0.00%	3.50%	51	16.5
Pod porost KF	7.8.	0.00%	0.00%	3.50%	10	16.5
Pod porost KF	21.8.	0.00%	0.00%	3.50%	0	16.5
Pod porost KF	4.9.	0.00%	0.50%	3.00%	3	14.5
Pod porost KF	18.9.	0.00%	0.00%	3.00%	7	12.5
Pod porost KF	2.10.	0.00%	0.00%	3.00%	0	12.5